Product data sheet

Specifications





APC NetShelter SX, Server Rack Enclosure, 48U, without Sides and Doors, Black, 2258H x 600W x 1200D mm

AR3307X617

Overview

| Presentation | Deep and Tall Universal IT Enclosure for low to medium density server and networking applications that either require additional equipment clearance space or more open space for ease of access in the rear of the enclosure. Tall to provide 48U spaces for environments that can take advantage of higher spaces and provide more mounting u-spaces at each enclosure footprint. Compact width to optimize data center space. |
|--------------|--|
| Lead time | Usually in Stock |

Main

| Product or Component Type | Rack enclosure |
|---------------------------|---------------------------|
| Number of rack unit | 48U |
| Provided equipment | Baying hardware Key(s) |
| | Leveling feet |
| | Mounting Hardware |
| | Pre-installed casters |

Physical

| Height | 88.9 in (225.8 cm) |
|----------------------------|---|
| Width | 23.6 in (60 cm) |
| Depth | 47.2 in (120 cm) |
| Net Weight | 329.70 lb(US) (149.55 kg) |
| Color | Black |
| Mounting preference | No preference |
| Mounting Mode | Not rack-mountable |
| Maximum Mounting Depth | 41.73 in (105.99 cm) |
| minimum mounting depth | 7.5 in (19.1 cm) |
| rack width | 19" |
| Marking | 14 gauge EIA mounting rail 16 gauge post 18 gauge roof |
| Permanent permissible load | 2250 lb(US) (1020.6 kg) dynamic 3000 lb(US) (1360.8 kg) static |

Conformance

| Standards | UL 2416 |
|-----------|------------|
| | UL 60950-1 |
| | EIA-310E |

Life Is On APC

Ordering and shipping details

GTIN 731304293804

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|---------------------------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 93.9 in (238.5 cm) |
| Package 1 Width | 52.5 in (133.4 cm) |
| Package 1 Length | 29.4 in (74.6 cm) |
| Package 1 Weight | 364.76 lb(US) (165.45 kg) |

Contractual warranty

Warranty 5 year repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Learn more about Green Premium >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information

Certifications & Standards

Reach Regulation

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

EU RoHS Declaration

Environmental Disclosure

Product Environmental Profile

Circularity Profile

End of Life Information

Yes

Image of product / Alternate images

Alternative



