

APC NetShelter SX, Server Rack Enclosure, 48U, without Doors, Black, 2258H x 750W x 1200D mm

AR3357X610

Overview

Lead time Usually in Stock

Main

Product or Component Type	Rack enclosure
Number of rack unit	48U
Provided equipment	Baying hardware
	Key(s)
	Leveling feet
	Mounting Hardware
	Pre-installed casters
	Side Panels

Physical

Height	88.9 in (225.8 cm)
Width	29.5 in (75 cm)
Depth	47.2 in (120 cm)
Net Weight	355.74 lb(US) (161.36 kg)
Color	Black
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Maximum Mounting Depth	41.3 in (104.8 cm)
minimum mounting depth	10.31 in (26.19 cm)
rack width	19"
Marking	14 gauge EIA mounting rail 16 gauge post 18 gauge roof 18 gauge side panels
Permanent permissible load	2250 lb(US) (1020.6 kg) dynamic 3000 lb(US) (1360.8 kg) static

Conformance

 Standards
 UL 2416

 UL 60950-1
 EIA-310E

Ordering and shipping details

GTIN	731304294245
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	94.5 in (240 cm)
Package 1 Width	52.5 in (133.4 cm)
Package 1 Length	33.5 in (85.1 cm)
Package 1 Weight	403.84 lb(US) (183.18 kg)

Contractual warranty

Warranty 5 year repair or replace



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Learn more about Green Premium >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Well-being performance

Reach Free Of Svhc



Toxic Heavy Metal Free



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Product data sheet AR3357X610

Image of product / Alternate images

Alternative





AR3357X610

