

# APC NetShelter SX, Server Rack Enclosure, 52U, White, 750W x 1200D mm

AR3358W

#### Main

Product or Component Type	Rack enclosure
Number of rack unit	52U
Provided equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting Hardware Pre-installed casters Side Panels

## **Physical**

Height	95.9 in (2436 mm)
Width	29.5 in (750 mm)
Depth	47.2 in (1200 mm)
Net Weight	436.03 lb(US) (197.78 kg)
Color	White
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Maximum Mounting Depth	3.438 ft (1.048 m)
minimum mounting depth	0.938 ft (0.286 m)
rack width	19"
Marking	14 gauge EIA mounting rail
Permanent permissible load	2250 lb(US) (1020.6 kg) dynamic 4000 lb(US) (1814.4 kg) static

# Ordering and shipping details

GTIN	731304404125
Country of origin	US

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	49.000000000 in (124.46 cm)
Package 1 Width	31.0000000000 in (78.74 cm)
Package 1 Length	100.000000000 in (254 cm)

Package 1 Weight

550.0009 lb(US) (249.476 kg)



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

Learn more about Green Premium >









Energy Efficient Take-back Transparency RoHS/REACh

## Resource performance

Energy Efficient Product



Take-Back Program Available

### Well-being performance

Reach Free Of Svhc

#### **Certifications & Standards**

Reach Regulation

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

EU RoHS Declaration

Environmental Disclosure

Product Environmental Profile

Circularity Profile

End of Life Information