# MAXPRO® SERIES WORKSTATIONS

**Enterprise Class Digital Recording System** 

Honeywell's MAXPRO® NVR (network video recorder) and MAXPRO VMS (video management system) are an industry-leading enterprise class digital CCTV solution.

MAXPRO workstations are the front end of the MAXPRO video surveillance system delivering live and recorded video through an intuitive graphical user interface. The workstations come with T400 graphics card and are optimized for delivering crisp clear video images.

The MAXPRO workstations are powered by industry leading Intel processors and are tested to the rigorous demands of a video system. They are available in desktop (mini) or tower configurations where the tower workstations have the option to be rackmountable. The number of workstations is scalable within the MAXPRO system to meet any application.



### FEATURES AND BENEFITS



# MINI WORKSTATION (DESKTOP)

- Used with up to 2 monitors
- Ideal form factor workstation for small spaces
- 1080p at 30FPS (4Mbps)
- Small stand included



## STANDARD TOWER WORKSTATION

- Used with up to 4 monitors
- Single T400 GPU card included
- Optional T1000 and RTX4000 graphics cards are factory upgrade only
- 1080p at 30FPS (4Mbps)
- Rack mount accessory, sold separately



## **MAXPRO-SERIE WORKSTATIONS**

SPECIFICATIONS				
		MINI WORKSTATION (DESKTOP)	STANDARD TOWER WORKSTATION	
OPERATIONAL	OPERATING SYSTEM	Window 10 IoT Enterprise LTSC 2021	Window 10 IoT Enterprise LTSC 2021	
	PROCESSOR	12th Gen Intel Corei7-12700 vPro®	12th Gen Intel Corei7-12700 vPro®	
	MEMORY	16 GB DDR5-4800MHz (SODIMM)	16 GB DDR5-4800MHz (SODIMM)	
	HARD DRIVE	512 GB SSD M.2	512 GB SSD M.2	
	VIDEO CARD	Integrated Graphics	T400 graphics card	
PANEL CONNECTIONS	USB (FRONT)	3 x USB (2 x Type A, 1 x Type C)	2 x USB 3.2 Gen 2 Type-A 10Gb/s 2 x USB 3.2 Gen 1 Type-A 5Gb/s 1 x USB 3.2 Gen 2 Type-C 10Gb/s	
	USB (REAR)	4 x USB Type A (2x USB 5Gbps, 2 x USB 10 Gbps)	4 x USB 3.2 Gen 1 Type-A 5Gb	
	MONITOR OUTPUT	1 x DisplayPort, 4 x Mini DisplayPort, 1x HDMI 2.1 TMDS	1 x DisplayPort, 1x HDMI 2.1 TMDS	
	ETHERNET PORT	1 x RJ-45 (1 Gigabit)	1 x RJ-45 (1 Gigabit)	
	AUDIO	Headphone / microphone combo jack (3.5mm)	1 x Audio Jack (3.5mm) 1x Microphone Jack (3.5mm)	
ELECTRICAL	INPUT VOLTAGE	100V - 240V	100V - 240V	
	POWER CONSUMPTION	230 W	750 W	
MECHANICAL	DIMENSIONS (W X H X D)	7.2" x 1.5" x 7.0" (190.5mm x 38.1mm x 177.8 mm)	6.7" x 14.8" x 12.4" (170mm x 376mm x 315.4mm)	
	WEIGHT	3 lbs (1.4 kg)	20.7lbs (9.4kg)	
	CONSTRUCTION	Black housing	Black chassis	
ENVIRONMENTAL	TEMPERATURE (OPERATING)	10°C (50°F) to 35°C (95°F)	5°C to 40°C (41°F to 104°F)	
	RELATIVE HUMIDITY (OPERATING)	20% to 80%	10% to 80% (non-condensing)	
REGULATORY	EMISSIONS	FCC Part 15B, ICES-003	FCC Part 15B, ICES-003	
	SAFETY	UL/CSA 60950-1	UL/CSA 60950-1	
WARRANTY	WARRANTY	5 Year	5 Year	

CAMERAS RENDERED				
NVIDIA GPU MODEL	#CAMERAS RENDERED 1080P@30FPS, H.264/5	TOTAL # CAMERAS REN- DERED		
Integrated Graphics	23	23		
T400	18	41		
T1000	22	45		
RTX4000	40	63		

## **MAXPRO® SERIES WORKSTATIONS**

ORDERING				
HMW9TM	Mini Workstation For Up To Two Monitors			
HMW9T	Tower Workstation For Up To Four Monitors			
WORKSTATION ACCESSORIES				
HMW9THRK	Rackmount for HMW9TH high-end workstation			
HMWT1000 *	T1000 workstation card, factory upgrade	* For Standard Tower HMW9T Only		
HMWRTX4000*	RTX4000 workstation card,factory upgrade			

#### For more information

buildings.honeywell.com/security

#### Honeywell Commercial Security

715 Peachtree St. NE Atlanta, GA 30308 1.800.323.4576 www.honeywell.com MAXPRO®, is a registered trademark s of Honeywell International Inc. in the United States and other countries. All other trademarks are property of their respective owners. Honeywell reserves the right, without notification, to make changes in product design or specifications.

