



DATE: 05/05/2021

TEST REPORT

SUMMARY OF TEST REPORT

TEST REPORT NO: ATH1020022021

ULR: TC550821200000463P

(Number of Pages in Test Report: Page No. 1 to 104)

TEST FORMAT AS PER IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015/ IEC 60950-1: 2005 + A1:2009 + A2 : 2013

1. Name of the Manufacturer: Vivotek Inc.(Chung-Ho Plant)

2. Product: Network Video Recorder (CCTV Recorders)

3. Model: ND9323P

4. Model differences provided (if applicable): N/A

5. Model differences verified as per MEITY Guidelines for series formulation: N/A

6. Test Results: Refer below

PART A: GENERAL

SL. NO.	TEST REQUIREMENT	TEST CODE	CLAUSE	VERDICT
1.	Components	EL 2100	1.5	Р
2.	Power interface	EL 2101	1.6	Р
3.	Markings and instructions	EL 2102	1.7	Р

PART B: PROTECTION FROM HAZARDS

SL. NO.	TEST REQUIREMENT	TEST CODE	CLAUSE	VERDICT
1.	Protection from electric shock and energy hazards	EL 2103	2.1	Р
2.	SELV circuits	EL 2104	2.2	Р
3.	TNV circuits	EL 2105	2.3	N/A
4.	Limited current circuits	EL 2106	2.4	Р
5.	Limited power source	EL 2107	2.5	Р
6.	Provisions for earthing and bonding	EL 2108	2.6	Р
7.	Overcurrent and earth fault protection in primary circuits	EL 2109	2.7	Р
8.	Safety interlocks	EL 2110	2.8	N/A
9.	Electrical insulation	EL 2111	2.9	Р
10.	Clearances, creepage distance and distances through insulation	EL 2112	2.10 TE	PSTAO

Page 1 of 3

ALPHA TEST HOUSE (UNIT-4)





DATE: 05/05/2021

TEST REPORT

TEST REPORT NO: ATH1020022021

ULR: TC550821200000463P

PART C: WIRING, CONNECTIONS AND PHYSICAL REQUIREMENTS

SL. NO	TEST REQUIREMENT	TEST CODE	CLAUSE	VERDICT
1.	Wiring, connections and supply	EL 2113	3	Р
2.	Connection to a mains supply	EL 2114	3.2	Р
3.	Wiring terminals for connection of external conductors	EL 2115	3.3	N/A
4.	Disconnections from the main supply	EL 2116	3.4	Р
5.	Interconnection of equipment	EL 2117	3.5	Р
6.	Stability	EL 2118	4.1	N/A
7.	Mechanical strength	EL 2119	4.2	Р
8.	Design and construction	EL 2120	4.3	Р
9.	Protection against hazardous moving parts	EL 2121	4.4	N/A
10.	Thermal requirements	EL 2122	4.5	Р
11.	Openings in enclosures	EL 2123	4.6	Р
12.	Resistance to fire	EL 2124	4.7	Р

PART D: ELECTRICAL REQUIREMENTS AND SIMULATED ABNORMAL CONDITIONS

SL. NO.	TEST REQUIREMENT	TEST CODE	CLAUSE	VERDICT
1.	Touch current and protective conductor current	EL 2125	5.1	Р
2.	Electric strength	EL 2126	5.2	Р
3.	Abnormal operating and fault conditions	EL 2127	5.3	Р

PART E: CONNECTION TO TELECOMMUNICATION NETWORK AND CABLE DISTRIBUTION SYSTEM

SL. NO.	TEST REQUIREMENT	TEST CODE	CLAUSE	VERDICT
1.	Protection of telecommunication network service persons and users of other equipment connected to the network, from hazards in the equipment	EL 2128	6.1	N/A
2.	Protection of equipment users from overvoltages on telecommunication networks	EL 2129	6.2	N/A
3.	Protection of the telecommunication wiring system from overheating	EL 2130	6.3	N/A
4.	Connection to cable distribution systems	EL 2131	7	N/A

Page 2 of 3

ALPHA TEST HOUSE (UNIT-4)





DATE: 05/05/2021

TEST REPORT NO: ATH1020022021

ULR: TC550821200000463P

GENERAL INFORMATION:

1. The conformity certificates of critical components are verified to ensure complete testing of apparatus under test and details regarding harmonized IEC standards (where IEC standards are not available) are also provided in the list of critical components.

CONCLUSION:

Date: 05/05/2021

- Sample meets all relevant requirements of IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015/ IEC 60950-1: 2005 + A1:2009 + A2: 2013
- 2. Sample fails to meet the following test requirements.

I, hereby undertake that the verdict stated in the test reports for all the test matches with the test results. The sample meets all relevant requirements of IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015/ IEC 60950-1: 2005 + A1:2009 + A2: 2013/ does not meet the requirements. If any deviation found, suitable punitive action may be taken by BIS

(Signature of Authorized person with Stamp)

Page 3 of 3





Report No :	ATH1020022021	Issue Date: 05/05/2021
ULR:	TC550821200000463P	Page 1 of 104
Manufacturer :	Vivotek Inc.(Chung-Ho Plant) 5F., 5F1, 5F2, NO.168, LIANCHE TAIWAN (R.O.C.)	NG RD., ZHONGHE DIST., NEW TAIPEI CITY 235,
Test Item :	Network Video Recorder (CCTV Rec	orders)
Identification:	ND9323P	Serial No.: NIL
Receipt No. :	231090962	Date: 12/04/2021
Testing Laboratory :	ALPHA TEST HOUSE (UNIT - 4) K-28,Udyog Nagar Industrial Area, P	eeragarhi, New Delhi -110087 (India)
Test Specification :	IS 13252 (Part 1): 2010 + A1: 2013+ IEC 60950-1: 2005 + A1: 2009 +A2:2	
Test Result :	The test item Passed the test specific	cation
Other Aspects :	This report consists of 104 pages.	

Tested By	Approved By / Authorized Signatory	Issued By
Get	A A A A A A A A A A A A A A A A A A A	Kanduf
Test Engineer: MR.RAJESH KUMAR TIWARI	Technical Manager : MOSHAHBAZ	IA: MR.KAUSHAL KISHOR
Date: 05/05/2021	Date: 05/05/2021	Date: 05/05/2021

ALPHA TEST HOUSE (UNIT-4)

(Address: K-28, Udyog Nagar Industrial Area, Peeragarhi, New Delhi-110087 (India))

Contact No.: +91 1149715666, +91 8527771109, Email: care@alphatesthouse.com, Web: www.alphatesthouse.com





 Report No:
 ATH1020022021
 Issue Date: 05/05/2021

 ULR:
 TC550821200000463P
 Page 2 of 104

TEST REPORT

IS 13252 (Part 1): 2010 + A1: 2013+ A2: 2015 / IEC 60950-1: 2005 + A1: 2009 + A2: 2013 Information technology equipment - Safety -

Part 1: General requirements "CCTV Cameras/CCTV Recorders"

 Report Number :
 ATH1020022021

 Date of Issue :
 05/05/2021

Total Pages: 104

Manufacturer : Vivotek Inc.(Chung-Ho Plant)

Address: 5F., 5F.-1, 5F.-2, NO.168, LIANCHENG RD., ZHONGHE DIST., NEW TAIPEI CITY 235,

TAIWAN (R.O.C.)

Test Specification:

Standard : IS 13252 (Part 1): 2010 + A1: 2013+ A2:2015 /

IEC 60950-1: 2005 + A1: 2009 +A2:2013

Test procedure : Compliance Report

Non standard test method: N/A

Test Report Form No. : BIS_ CCTVC/CCTV R_IS13252_V1.0

Test Report Form(s) Originator : Bureau Of Indian Standards

Master TRF: 23/11/2017

Test Item description: Network Video Recorder (CCTV Recorders)

Trade Mark:

VIVOTEK

Manufacturer: Vivotek Inc.(Chung-Ho Plant)

Model/Type reference: ND9323P

Ratings: AC 100-240V, 3.5A, 50-60Hz

Other Documents submitted: Please refer to Table - List of Attachment at Page No. 8

Tested By	Approved By / Authorized Signatory	Issued By
Get	A A A A A A A A A A A A A A A A A A A	Kandul
Test Engineer: MR.RAJESH KUMAR TIWARI	Technical Manager MD SNA BAZ	IA: MR.KAUSHAL KISHOR
Date: 05/05/2021	Date : 05/05/2021	Date: 05/05/2021

ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 3 of 104

Discipline: Electronics Group: IT Equipment

Test Code	Description	Measurement/ testing	Total No. of tests	Total no. of applicable tests/ Req.	No. of tests/ Req. passed	Page No.
EL 2100	General Requirements	Components (Cl. 1.5)	18	15	15	11-12
EL 2101	General Requirements	Power interface (Cl. 1.6)	05	04	04	13
EL 2102	Marking Requirements	Marking & instructions(Cl.1.7)	39	23	23	14-16
EL 2103	Electrical safety	Protection from electric shock and energy hazards (Cl.2.1)	14	07	07	17-18
EL 2104	Electrical safety	SELV Circuits (Cl.2.2)	04	04	04	19
EL 2105	Electrical safety	TNV Circuits (Cl.2.3)	12	00	N/A	20
EL 2106	Electrical safety	Limited current circuits (Cl.2.4)	04	04	04	21
EL 2107	Electrical safety	Limited Power sources (Cl.2.5)	07	04	04	22
EL 2108	Electrical safety	Provisions for earthing and bonding (Cl.2.6)	19	15	15	23-24
EL 2109	Electrical safety	Overcurrent and earth fault protection in primary circuits (Cl.2.7)	07	06	06	25
EL 2110	Electrical safety	Safety Interlocks (Cl.2.8)	13	00	N/A	26
EL 2111	Electrical safety	Electrical Insulation (Cl.2.9)	05	05	05	27
EL 2112	Electrical safety	Clearances, Creepage distances and distances through insulation (Cl.2.10)	63	29	29	28-31
EL 2113	Wiring	Wiring, connections and supply (Cl.3)	11	08	08	32
EL 2114	Wiring	Connection to a main supply (Cl.3.2)	14	03	03	33-34
EL 2115	Wiring	Wiring terminals for connection of external conductors (Cl.3.3)	09	00	N/A	35
EL 2116	Wiring	Disconnection for the main supply (Cl.3.4)	12	06	06	36
EL 2117	Wiring	Interconnection of equipment (Cl.3.5)	05	04	04	37
EL 2118	Mechanical properties	Stability (Cl.4.1)	05	00	N/A	38
EL 2119	Mechanical properties	Mechanical strength (Cl.4.2)	13	07	TEST A	39

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2 : 2013
 Page 4 of 104

 Discipline: Electronics
 Group: IT Equipment

EL 2120	Mechanical	Design and	25	04	04	40-41
	properties	construction (Cl.4.3)				
EL 2121	Mechanical	Protection against	14	00	N/A	42
	properties	hazardous moving				
		parts (Cl. 4.4)				
EL 2122	Thermal	Thermal requirements	06	06	06	43
	Properties	(Cl.4.5)				
EL 2123	Mechanical	Openings in Enclosures	18	02	02	44-45
	properties	(Cl.4.6)				
EL 2124	Fire Safety	Resistance to fire (Cl.4.7)	25	10	10	46-50
EL 2125	Insulating	Electrical requirements	20	10	10	51-52
	properties	and simulated				
		abnormal				
		conditions (Cl.5),5.1				
EL 2126	Insulating	Electric Strength	03	03	03	53
	properties	(Cl.5.2)				
EL 2127	Insulating	Abnormal operating	11	07	07	54
	properties	and fault conditions				
		(Cl.5.3)				
EL 2128	Communicating	Protection of	04	00	N/A	55-56
	connection	telecommunication				
		network service				
		persons, and users of other equipment				
		connected to the				
		network, from hazards				
		in the				
		equipment(Cl.6.1)				
EL 2129	Communicating	Protection of equipment	06	00	N/A	57
	connection	users from				
		overvoltages on telecommunication				
		networks (Cl.6.2)				
EL 2130	Communicating	Protection of the	05	00	N/A	58-59
	connection	telecommunication				
		wiring system from				
		overheating (Cl. 6.3)				
EL 2131	Connection to	Connection to cable	80	00	N/A	60
	cable distribution	distribution systems				
	systems	(Cl.7)				
EL 2132	Fire safety	Tests for resistance to	20	02	02	61-62
		heat and fire (Annex A)				
		·			TEST	

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 5 of 104 Discipline: Electronics Group: IT Equipment

EL 2133	Insulating properties	Motor tests under abnormal conditions (Annex B)	19	00	N/A	63-64
EL 2134	Electrical Safety	Transformers (Annex C)	03	03	03	65
EL 2135	Insulating properties	Measuring Instruments For Touch-Current Tests (Annex D)	03	02	02	66
EL 2136	Thermal Properties	Temperature Rise Of A Winding(Annex E)	01	00	N/A	67
EL 2137	Electrical safety	Measurement Of Clearances And Creepage Distances(Annex F)	01	01	01	68
EL 2138	Electrical safety	Alternative Method For Determining Minimum Clearances(Annex G)	17	00	N/A	69-70
EL 2139	Radiation Safety	lonizing Radiation(Annex H)	01	00	N/A	71
EL 2140	Electrical Safety	Table of electrochemical potentials (Annex J)	01	01	01	72
EL 2141	General Requirements	Thermal controls (Annex K)	07	00	N/A	73
EL 2142	General Requirements	Normal load conditions for some types of electrical business equipment (Annex L)	08	02	02	74
EL 2143	Electrical Safety	Criteria for telephone ringing signals (Annex M)	13	00	N/A	75
EL 2144	Electrical safety	Impulse Test Generators(Annex N)	03	00	N/A	76
EL 2145	General Requirements	Normative References(Annex P)	01	00	N/A	77
EL 2146	General Requirements	Voltage dependent resistors (VDRs) (Annex Q)	03	03	03	78-79
EL 2147	General Requirements	Examples Of Requirements For Quality Control Programmes(Annex R)	03	00	N/A	80
EL 2148	General Requirements	Procedure For Impulse Testing (Annex S)	04	00	N/A VATEST A	81

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 6 of 104

 Discipline: Electronics
 Group: IT Equipment

EL 2149	Protection against Ingress of water	Guidance On Protection Against Ingress Of Water (Annex T)	01	00	N/A	82
EL 2150	Wiring	Insulated Winding Wires For Use Without Interleaved Insulation (Annex U)	17	00	N/A	83
EL 2151	Electrical Safety	Ac Power Distribution Systems(Annex V)	05	03	03	84
EL 2152	Electrical Safety	Summation Of Touch Currents (Annex W)	08	00	N/A	85
EL 2153	Electrical Safety	Maximum Heating Effect In Transformer Tests(Annex X)	03	03	03	86
EL 2154	Radiation safety	Ultraviolet light conditioning test (Annex Y)	05	00	N/A	87
EL 2155	Electrical Safety	Overvoltage Categories (Annex Z)	01	01	01	88
EL 2156	Mechanical properties	Mandrel Test(Annex AA)	01	00	N/A	89
EL 2158	Electrical Safety	Evaluation Of Integrated Circuit (IC) Current Limiters (Annex CC)	06	00	N/A	90
EL 2159	Mechanical properties	Requirements For The Mounting Means Of Rack-Mounted Equipment (Annex DD)	04	00	N/A	91
EL 2160	Electrical Safety	Household And Home/Office Document/Media Shredders (Annex EE)	06	00	N/A	92

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested.

(Approving Authority)

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 /

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

Dated: 05/05/2021 Page 7 of 104

Discipline: Electronics Group: IT Equipment

Copy of marking plate:

ULR: TC550821200000463P





COPY OF MARKING PLATE

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 8 of 104

Discipline: Electronics Group: IT Equipment

Attachment No.	Attachment Description	No. of pages in Attachment
Attachment	Photo Document	103-104

General remarks:

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory.

Possible test case verdicts:

- test case does not apply to the test object: N/A

- test object does meet the requirement P (Pass)

- test object does not meet the requirement F (Fail)

Testing.....:

Date of receipt of test item: 12/04/2021

Date(s) of performance of tests 12/04/2021 to 05/05/2021

Laboratory conditions....:

Ambient Temperature (25±3)°C

Ambient Humidity <70% RH

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 9 of 104 Discipline: Electronics Group: IT Equipment

Test item particulars:	Network Video Recorder (CCTV Recorders)		
Equipment mobility:			
Connection to the mains:	 ✓ pluggable equipment [X] type A [] type B ✓ permanent connection ✓ detachable power supply cord ✓ non-detachable power supply cord ✓ not directly connected to the mains 		
Operating condition:	☐ continuous☐ rated operating / resting time:		
Access location:	☑ operator accessible☐ restricted access location		
Over voltage category (OVC):	☐ OVC I ☐ OVC II ☐ OVC III ☐ OVC IV ☐ other:		
Mains supply tolerance (%) or absolute mains supply			
values:	-10%,+6%		
Class of equipment:	☐ Class II ☐ Class III ☐ Not classified		
Considered current rating of protective device as a part of the building installation (A):	16A (for India)		
Pollution degree (PD):	☐ PD 1		
IP protection class:	IPXX		
Altitude during operation (m):	Up to 2000		
Altitude of test laboratory (m):	< 1000		
Mass of equipment (kg):	2.524 kg (without HDD)		
Abbreviations that may be used throughout this te	st report:		
PE/PB protective earth/protective bonding	Pri: primary		
CB: circuit breaker	sec: secondary		
(SW)PS: (switching) power supply	gnd: ground		
HV: high voltage	I/O: input/output		
PCB: printed circuit (wiring) board	ii: installation instruction		
TIW: triple insulated wire	PSU: Power Supply Unit		
B/I: built-in application (compliance shall	be guarantee in host equipment)		
F/B/S/R: Functional/Basic/Supplementary/Reinforced li	nsulation		

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 10 of 104

Discipline: Electronics Group: IT Equipment

General product information:

1) Application details / Description of the product:

The Product under test is Network Video Recorder (CCTV Recorders)

Model: ND9323P

Ratings: AC 100-240V, 3.5A, 50-60Hz

Class I with Certified detachable power supply cord set.

Max. specified ambient temperature (°C): 55°C

2) Similarities...... N/A

3) Differences between the models: N/A

Model No. tested with-in the family series .: N/A

4) Options:

The equipment was tested without any optional accessory installed. Hence, this report does not cover parameters that are influenced by the installation of optional accessory that might affect safety in the meaning of this standard.

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

 Page 11 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to General Requirements

EL 2100 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
1.5	Components*	EL 2100-00	Verification of approvals with due correlation between the components used and the approval certificates submitted (see table 1.5.1)	Р
1.5.1	General:	EL 2100-01	See below	Р
	Components shall be complying with IEC 60950-1 or relevant component standard.		In compliance	Р
	Components and subassemblies approved for IEC 62368-1 can be considered as complying with this standard			Р
1.5.2	Evaluation and testing of components	EL 2100-02	Component certified to IEC standard and/or their harmonized standards are used within their ratings. (See table 1.5.1)	Р
1.5.3	Thermal controls	EL 2100-03	No such thermal controls used	N/A
1.5.4	Transformers	EL 2100-04	Certified power supply used	Р
1.5.5	Interconnecting cables*	EL 2100-05	Suitable internal wires used	Р
1.5.6	Capacitors bridging insulation *	EL 2100-06	Certified power supply used	Р
1.5.7	Resistors bridging insulation	EL 2100-07	See above Cl. No. 1.5.6	Р
1.5.7.1	Resistors bridging functional, basic or supplementary insulation*	EL 2100-08	See above Cl. No. 1.5.6	Р
1.5.7.2	Resistors bridging double or reinforced insulation between a.c. mains and other circuits	EL 2100-09	See above Cl. No. 1.5.6	Р
1.5.7.3	Resistors bridging double insulation or reinforced insulation between the a.c. mains supply and circuits connected to an antenna or coaxial cable	EL 2100-10	No such circuits	N/A
1.5.8	Components in equipment for IT power distribution systems*	EL 2100-11	Not for IT power distribution systems	N/A
1.5.9	Surge suppressors	EL 2100-12	Certified power supply used	Р

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 12 of 104 Discipline: Electronics Group: IT Equipment

Tests relating to General Requirements

EL 2100 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
1.5.9.1	General*	EL 2100-13	See above Cl. No. 1.5.9	Р
1.5.9.2	Protection of VDRs*	EL 2100-14	See above Cl. No. 1.5.9	Р
1.5.9.3	Bridging of functional insulation by a VDR*	EL 2100-15	See above Cl. No. 1.5.9	Р
1.5.9.4	Bridging of basic insulation by a VDR*	EL 2100-16	See above Cl. No. 1.5.9	Р
1.5.9.5	Bridging of supplementary, double or reinforced insulation by a VDR*	EL 2100-17	See above Cl. No. 1.5.9	Р

*-Total number of Requirements to be observed / inspected =10

Total No of applicable Requirement =09

No of Requirements for which the sample passed =09

Total number of tests to be conducted =08

Total No of applicable Tests =06

No. of tests for which the sample passed =06

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0







 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 13 of 104

 Discipline: Electronics
 Group: IT Equipment

gTests relating to Electrical Safety

EL 2101 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
1.6	Power interface*	EL 2101-00	See below	Р
1.6.1	AC power distribution systems*	EL 2101-01	TN power distribution system	Р
1.6.2	Input current	EL 2101-02	See table 1.6.2	Р
1.6.3	Voltage limit of hand-held equipment*	EL 2101-03	Not a hand-held equipment	N/A
1.6.4	Neutral conductor *	EL 2101-04	Certified power supply used	Р

*-Total number of Requirements to be observed / inspected =04

Total No of applicable Requirement =03

No of Requirements for which the sample passed =03

Total number of tests to be conducted =01

Total No of applicable Tests =01

No. of tests for which the sample passed =01

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

Dated: 05/05/2021 Page 14 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Marking Requirements

ULR: TC550821200000463P

EL 2102 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
1.7	Marking and instructions*	EL 2102-00		Р
1.7.1	Power rating and identification markings		See below	Р
1.7.1.1	Power rating marking*	EL 2102-01	See below	Р
	Rated voltage(s) or voltage ranges(s) (V)*.	EL 2102-02	AC 100-240V	Р
	Multiple mains supply connections*.	EL 2102-03	No multiple mains supply	N/A
	Symbol for nature of supply, for d.c. only*:	EL 2102-04	AC supply only	N/A
	Rated frequency or rated frequency range (Hz) *:	EL 2102-05	50-60Hz	Р
	Rated current (mA or A)*:	EL 2102-06	3.5A	Р
1.7.1.2	Identification markings*	EL 2102-07	See below	Р
	Manufacturer's name or trade- mark or identification mark *:	EL 2102-08	VIVOTEK	Р
	Model identification or type reference *:	EL 2102-09	ND9323P	Р
	Symbol for Class II equipment only*:	EL 2102-10	Class I equipment	N/A
	Other markings and symbols*:	EL 2102-11	Other markings and symbols do not give rise to misunderstandings	Р
1.7.1.3	Use of graphical symbols*	EL 2102-12		Р
1.7.2	Safety instructions and marking*	EL 2102-13	Instructions manual provided	Р
1.7.2.1	General	EL 2102-14	See below	Р
1.7.2.2	Disconnect devices*	EL 2102-15	Plug is part of Certified power Supply Cord set considered as disconnect device	Р
1.7.2.3	Overcurrent protective devices*	EL 2102-16	No such Equipment	N/A
1.7.2.4	IT power distribution systems*	EL 2102-17	Not for IT power distribution systems	N/A
1.7.2.5	Operator access with a tool*	EL 2102-18	No tools required	N/A

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

 Page 15 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Marking Requirements

EL 2102 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
1.7.2.6	Ozone*	EL 2102-19	Ozone not generated	N/A
1.7.3	Short duty cycles*	EL 2102-20	Continuous operation	N/A
1.7.4	Supply voltage adjustment*	EL 2102-21	No such adjustment	N/A
1.7.5	Power outlets on the equipment*	EL 2102-22	No Power outlets	N/A
1.7.6	Fuse identification (marking, special fusing characteristics, cross-reference)	EL 2102-23	Certified power supply used	Р
	Fuse(s) shall clearly and adequately marked with fuse number and rating*.			
1.7.7	Wiring terminals	EL 2102-24	See below	Р
1.7.7.1	Protective earthing and bonding terminals*	EL 2102-25	Complies	Р
1.7.7.2	Terminals for a.c. mains supply conductors*	EL 2102-26	Not a permanently connected equipment	N/A
1.7.7.3	Terminals for d.c. mains supply conductors*	EL 2102-27	No dc mains supply	N/A
1.7.8	Controls and indicators	EL 2102-28	See below	Р
1.7.8.1	Identification, location and marking *:	EL 2102-29	Functions of controls affecting safety are obvious regardless of language	Р
1.7.8.2	Colours*	EL 2102-30	Only functional indicator are colored	Р
1.7.8.3	Symbols according to IEC 60417*:	EL 2102-31	Stand by d symbol marked	Р
1.7.8.4	Markings using figures* :	EL 2102-32	No figures used	N/A
1.7.9	Isolation of multiple power sources*	EL 2102-33	No multiple power sources	N/A
1.7.10	Thermostats and other regulating devices*	EL 2102-34	No such components used	N/A
1.7.11	Durability	EL 2102-35	Markings were legible and durable after test	Р
1.7.12	Removable parts*	EL 2102-36	No such markings on removable parts	N/A
1.7.13	Replaceable batteries*	EL 2102-37	provided in instruction manual	Р

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 16 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Marking Requirements

EL 2102 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
	Language(s)		English	Р
1.7.14	Equipment for restricted access locations*	EL 2102-38	Not for restricted access locations	N/A

"- Total number of Requirements to be observed / inspected	=35
Total No of applicable Requirement	=19
No of Requirements for which the sample passed	=19
Total number of tests to be conducted	=04
Total No of applicable Tests	=04
No. of tests for which the sample passed	=04

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /

Dated: 05/05/2021

Group: IT Equipment

 Page 17 of 104

Tests relating to Electrical Safety

Discipline: Electronics

EL 2103 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
2.1	Protection from electric shock and energy hazards*	EL 2103-00	See below	Р
2.1.1	Protection in operator access areas*	EL 2103-01	Complies	Р
2.1.1.1	Access to energized parts	EL 2103-02	See below	Р
	Test by inspection :		Complies	Р
	Test with test finger (Figure 2A)		No access with the test finger to any parts with hazardous voltage	Р
	Test with test pin (Figure 2B):		No access to bare hazardous parts	Р
	Test with test probe (Figure 2C)		No TNV circuits	N/A
2.1.1.2	Battery compartments *	EL 2103-03	No battery compartments	N/A
2.1.1.3	Access to ELV wiring	EL 2103-04	No ELV wiring	N/A
	Working voltage (Vpeak or Vrms); minimum distance through insulation (mm)		See above Cl. No. 2.1.1.3	N/A
2.1.1.4	Access to hazardous voltage circuit wiring	EL 2103-05	Certified power supply used	Р
2.1.1.5	Energy hazards :	EL 2103-06	Certified power supply used	Р
2.1.1.6	Manual controls	EL 2103-07	No manual controls	N/A
2.1.1.7	Discharge of capacitors in equipment		Certified power supply used	Р
	Measured voltage (V); time-constant (s):	EL 2103-08	See above Cl. No. 2.1.1.7	Р
2.1.1.8	Energy hazards – d.c. mains supply		No DC mains supply	N/A
	a) Capacitor connected to the d.c. mains supply:	EL 2103-09	See above Cl. No. 2.1.1.8	N/A
	b) Internal battery connected to the d.c. mains supply :	EL 2103-10	See above Cl. No. 2.1.1.8	N/A
2.1.1.9	Audio amplifiers to be tested according to IEC 60065, cl. 9.1.1.:	EL 2103-11	No audio amplifiers	N/A
2.1.2	Protection in service access areas	EL 2103-12	Unintentional contact is not likely during service operation	Р
2.1.3	Protection in restricted access	EL 2103-13	Not for restricted access	N/A

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)

(Address: K-28, Udyog Nagar Industrial Area, Peeragarhi, New Delhi-110087 (India))

Contact No.: +91 1149715666, +91 8527771109, Email: care@alphatesthouse.com, Web: www.alphatesthouse.com





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 18 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Electrical Safety

EL 2103 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
	locations		location	

*-Total number of Requirements to be observed / inspected	=03
Total No of applicable Requirement	=02
No of Requirements for which the sample passed	=02
Total number of tests to be conducted	=11
Total No of applicable Tests	=05
No. of tests for which the sample passed	=05

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

A TEST HOUSE *

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 19 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Electrical Safety

EL 2104 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
2.2	SELV circuits*	EL 2104-00	Certified power supply used	Р
2.2.2	Voltages under normal conditions	EL 2104-01	See above Cl. No. 2.2	Р
2.2.3	Voltages under fault conditions	EL 2104-02	See above Cl. No. 2.2	Р
2.2.4	Connection of SELV circuits to other circuits*:	EL 2104-03	See above Cl. No. 2.2	Р

*-Total number of Requirements to be observed / inspected =02

Total No of applicable Requirement =02

No of Requirements for which the sample passed =02

Total number of tests to be conducted =02

Total No of applicable Tests =02

No. of tests for which the sample passed =02

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 20 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Electrical Safety

EL 2105 - V1.0

	ating to Electrical Calcity			• • • • • •
Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
2.3	TNV circuits*	EL 2105-00		N/A
2.3.1	Type of TNV circuits: TNV-1 / TNV-2 / TNV-3	EL 2105-01		N/A
	a) Limits of TNV-1:	EL 2105-02		N/A
	b) Limits of TNV-2 or TNV-3: Continuous voltages, combination of AC and DC values, are such that : $\frac{U_{\text{ac}}}{71} + \frac{U_{\text{dc}}}{120} \le 1$	EL 2105-03		N/A
2.3.2	Separation from other circuits and from accessible parts*	EL 2105-04		N/A
2.3.2.1	General Requirements	EL 2105-05		N/A
2.3.2.2	Protection by basic insulation	EL 2105-06		N/A
2.3.2.3	Protection by earthing	EL 2105-07		N/A
2.3.2.4	Protection by other constructions :	EL 2105-08		N/A
2.3.3	Separation from hazardous voltages	EL 2105-09		N/A
2.3.4	Connection of TNV circuits to other circuits	EL 2105-10		N/A
2.3.5	Test for operating voltages generated externally	EL 2105-11		N/A

*-Total number of Requirements to be observed / inspected =02

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =10

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 21 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Electrical Safety

EL 2106 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
2.4	Limited current circuits *	EL 2106-00	Certified power supply used	Р
2.4.1	General requirements *	EL 2106-01	See above Cl. No. 2.4	Р
2.4.2	Limit values	EL 2106-02	See above Cl. No. 2.4	Р
2.4.3	Connection of limited current circuits to other circuits*	EL 2106-03	See above Cl. No. 2.4	Р

*-Total number of Requirements to be observed / inspected =03

Total No of applicable Requirement =03

No of Requirements for which the sample passed =03

Total number of tests to be conducted =01

Total No of applicable Tests =01

No. of tests for which the sample passed =01

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

A LIVER TOUGH

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2: 2013 Page 22 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Electrical Safety

EL 2107 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
2.5	Limited power sources *	EL 2107-00	See below	Р
	a) Inherently limited output	EL 2107-01	No Inherently limited output	N/A
	b) Impedance limited output	EL 2107-02	See table 2.5	Р
	c) Regulating network limited output under normal operating and single fault condition	EL 2107-03	See table 2.5	Р
	Use of integrated circuit (IC) current limiters			
	d) Overcurrent protective device limited output	EL 2107-04	No such protective device used	N/A
	Max. output voltage (V), Max. output current (A), Max. apparent power (VA)	EL 2107-05	See table 2.5	Р
	Current rating of overcurrent protective device (A)	EL 2107-06	See above Cl. No. 2.5d)	N/A

=01

*-Total number of Requirements to be observed / inspected Total No of applicable Requirement =01 No of Requirements for which the sample passed =01 Total number of tests to be conducted =06 Total No of applicable Tests =03

No. of tests for which the sample passed =03

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

Discipline: Electronics Group: IT Equipment

Tests relating to Electrical Safety

EL 2108 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
2.6	Provisions for earthing and bonding*	EL 2108-00	See below	Р
2.6.1	Protective earthing	EL 2108-01	The relevant parts connected to the main protective earthing terminal reliably	Р
2.6.2	Functional earthing: The Functional earthing either separated from hazardous voltages by double or reinforced insulation or by protectively earthed screen or conductive part separated by at least basic insulation, or safely connected to Protective Bonding Conductor.*	EL 2108-02	Certified power supply used	P
	Use of symbol for functional earthing:*	EL 2108-03	No such symbol marked	N/A
2.6.3	Protective earthing and protective bonding conductors*	EL 2108-04	See below	Р
2.6.3.2	Size of protective earthing conductors	EL 2108-05	Certified power supply Cord set used	Р
	Rated current (A), cross-sectional area (mm2),		See table 1.5.1	Р
2.6.3.3	Size of protective bonding conductors	EL 2108-06	Complies with Cl. No. 2.6.3.4	Р
	Protective current Rating (A), cross- sectional area (mm2)		See above	Р
2.6.3.4	Resistance of earthing conductors and their terminations; resistance (Ω) , voltage drop (V), test current (A), duration (min):	EL 2108-07	Resistance did not exceed 0.1Ω Test time: 2 minutes Tested Current: 32A (See table 2.6.3.4)	Р
2.6.3.5	Colour of insulation*:	EL 2108-08	Certified power supply Cord set used	Р
2.6.4	Terminals		See below	Р
2.6.4.2	Protective earthing and bonding terminals: Rated current(A), Type, Nominal thread diameter (mm)	EL 2108-09	Appliance inlet used with certified power supply	Р

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2: 2013 Page 24 of 104 Discipline: Electronics Group: IT Equipment

2.6.4.3	Separation of the protective earthing conductor from protective bonding conductors*	EL 2108-10	Appliance inlet used with certified power supply	Р
2.6.5	Integrity of protective earthing*		See below	Р
2.6.5.1	Interconnection of equipment*	EL 2108-11	The equipment has its own earthing connection	N/A
2.6.5.2	Components in protective earthing conductors and protective bonding conductors*	EL 2108-12	No fuse and switch in earthing conductors and protective bonding conductors	Р
2.6.5.3	Disconnection of protective earth*	EL 2108-13	It is not possible to disconnect protective earth without disconnecting mains	Р
2.6.5.4	Parts that can be removed by an operator*	EL 2108-14	Protective earthing connection is established before mains supply and breaks after the mains supply	Р
2.6.5.5	Parts removed during servicing*	EL 2108-15	The relevant hazard is removed at the same time the protective earthing connection is removed for servicing	Р
2.6.5.6	Corrosion resistance*	EL 2108-16	See Annex J	Р
2.6.5.7	Screws for protective bonding*	EL 2108-17	No self tapping or spaced thread screws	N/A
2.6.5.8	Reliance on telecommunication network or cable distribution system*	EL 2108-18	No telecommunication network	N/A

*-Total number of Requirements to be observed / inspected =14 Total No of applicable Requirement =10 No of Requirements for which the sample passed =10 Total number of tests to be conducted =05 Total No of applicable Tests =05 No. of tests for which the sample passed =05

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 25 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Electrical Safety

EL 2109 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
2.7	Overcurrent and earth fault protection in primary circuits*	EL 2109-00	See below	Р
2.7.1	Basic requirements: Protection in primary circuits against overcurrents, short- circuits and earth faults shall be provided, either as an integral part of the equipment or as part of building installation.	EL 2109-01	Certified power supply used	P
	If pluggable equipment Type B or permanently connected equipment relies on protective device external to the equipment for protection, the equipment installation Instructions shall so state and shall also specify the requirements for short-circuit protection or overcurrent protection or, where necessary, for both.		Pluggable equipment type A	N/A
2.7.2	Faults not simulated in 5.3.7* need not be fitted as an integral part of the equipment	EL 2109-02	Certified power supply used	Р
2.7.3	Short-circuit backup protection	EL 2109-03	See above Cl. No. 2.7.2	Р
2.7.4	Number and location of protective devices :	EL 2109-04	See above Cl. No. 2.7.2	Р
2.7.5	Protection by several devices*	EL 2109-05	See above Cl. No. 2.7.2	Р
2.7.6	Warning to service personnel*:	EL 2109-06	No such warning used	N/A
	•	•		

^- Total number of Requirements to be observed / inspected	=04
Total No of applicable Requirement	=03
No of Requirements for which the sample passed	=03
Total number of tests to be conducted	=03
Total No of applicable Tests	=03
No. of tests for which the sample passed	=03

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 26 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Electrical Safety

EL 2110 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
2.8	Safety Interlocks*	EL 2110-00	No such Safety interlocks switch used	N/A
2.8.1	General principles*	EL 2110-01	See above Cl. No. 2.8	N/A
2.8.2	Protection requirements	EL 2110-02	See above Cl. No. 2.8	N/A
2.8.3	Inadvertent reactivation	EL 2110-03	See above Cl. No. 2.8	N/A
2.8.4	Fail-safe operation	EL 2110-04	See above Cl. No. 2.8	N/A
2.8.5	Moving parts	EL 2110-05		N/A
2.8.6	Overriding*	EL 2110-06	See above Cl. No. 2.8	N/A
2.8.7	Switches, relays and their related circuits	EL 2110-07		N/A
2.8.7.1	Separation distances for contact gaps and their related circuits`	EL 2110-08	See above Cl. No. 2.8	N/A
2.8.7.2	Overload test	EL 2110-09	See above Cl. No. 2.8	N/A
2.8.7.3	Endurance test	EL 2110-10	See above Cl. No. 2.8	N/A
2.8.7.4	Electric strength test	EL 2110-11	See above Cl. No. 2.8	N/A
2.8.8	Mechanical actuators	EL 2110-12	See above Cl. No. 2.8	N/A

*-Total number of Requirements to be observed / inspected =03

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =10

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 27 of 104 Discipline: Electronics Group: IT Equipment

Tests relating to Electrical Safety

EL 2111 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
2.9	Electrical insulation*	EL 2111-00	See below	Р
2.9.1	Properties of insulating materials*	EL 2111-01	Natural rubber, materials containing asbestos and hygroscopic materials are not used as insulation	Р
2.9.2	Humidity conditioning	EL 2111-02	See below	Р
	Relative Humidity: 93 ±3 %, Temperature: t at 40 ± 2°C Duration: 120 hours		Relative humidity: (93±3)% RH Temperature: (40 ± 2)°C Tested for 120 hours	Р
2.9.3	Grade of insulation*	EL 2111-03	Adequate Grade of Insulation used	Р
2.9.4	Separation from hazardous voltages*	EL 2111-04	Certified power supply used	Р
	Method(s) used		See above Cl. No. 2.9.4	Р

*-Total number of Requirements to be observed / inspected	=04
Total No of applicable Requirement	=04
No of Requirements for which the sample passed	=04
Total number of tests to be conducted	=01
Total No of applicable Tests	=01
No. of tests for which the sample passed	=01

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

Dated: 05/05/2021 Page 28 of 104

Discipline: Electronics

Group: IT Equipment

Tests relating to Electrical Safety

ULR: TC550821200000463P

EL 2112 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
2.10	Clearances, creepage distances and distances through Insulation*	EL 2112-00	See below	Р
2.10.1.1	Frequency *	EL 2112-01		Р
2.10.1.2	Pollution degrees*	EL 2112-02	Pollution degree 2	Р
2.10.1.3	Reduced values for functional insulation	EL 2112-03	Functional insulation complies with the requirements of Cl. No. 5.3.4(c)	Р
2.10.1.4	Intervening unconnected conductive parts	EL 2112-04	Certified power supply used	Р
2.10.1.5	Insulation with varying dimensions	EL 2112-05	See above Cl. No. 2.10.1.4	Р
2.10.1.6	Special separation requirements	EL 2112-06	See above Cl. No. 2.10.1.4	Р
2.10.1.7	Insulation in circuits generating starting pulses	EL 2112-07	No such circuits	N/A
2.10.2	Determination of working voltage	EL 2112-08	Certified power supply used	Р
2.10.2.2	RMS working voltage	EL 2112-09	See above Cl. No. 2.10.2	Р
2.10.2.3	Peak working voltage	EL 2112-10	See above Cl. No. 2.10.2	Р
2.10.3	Clearances	EL 2112-11	See above Cl. No. 2.10.2	Р
2.10.3.1	General	EL 2112-12	See below	Р
2.10.3.2	Mains transient voltages*		See below	Р
	a) AC mains supply *:	EL 2112-13	Certified power supply used	Р
	b) Earthed d.c. mains supplies*	EL 2112-14	No dc mains supply	N/A
	c) Unearthed d.c. mains supplies*:	EL 2112-15	No dc mains supply	N/A
	d) Battery operation* :	EL 2112-16	No such battery used	N/A
2.10.3.3	Clearances in primary circuits	EL 2112-17	Certified power supply used	Р
2.10.3.4	Clearances in secondary circuits	EL 2112-18	See above Cl. No. 2.10.3.3	Р
2.10.3.5	Clearances in circuits having starting pulses	EL 2112-19	No such circuits	N/A
2.10.3.6	Transients from a.c. mains supply :	EL 2112-20	Certified power supply used	Р
2.10.3.7	Transients from d.c. mains supply :	EL 2112-21	No dc mains supply	N/A

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)



ULR: TC550821200000463P



Page 29 of 104

TEST REPORT

Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

Discipline: Electronics Group: IT Equipment

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

2.10.3.8	Transients from telecommunication networks and cable distribution systems	EL 2112-22	No telecommunication networks and cable distribution systems	N/A
2.10.3.9	Measurement of transient voltages			N/A
	a) Transients from a mains supply	EL 2112-23		N/A
	For an a.c. mains supply			N/A
	For a d.c. mains supply			N/A
	b) Transients from a telecommunication network	EL 2112-24		N/A
2.10.4	Creepage distances*	EL 2112-25	Certified power supply used	Р
2.10.4.1	General	EL 2112-26	See below	Р
2.10.4.2	Material group and comparative tracking index : CTI tests*	EL 2112-27	Material group IIIb assumed	Р
2.10.4.3	Minimum creepage distances	EL 2112-28	Certified power supply used	Р
2.10.5	Solid insulation	EL 2112-29	Certified power supply used	Р
2.10.5.1	General	EL 2112-30	See above Cl. No. 2.10.5	Р
2.10.5.2	Distances through insulation	EL 2112-31	See above Cl. No. 2.10.5	Р
2.10.5.3	Insulating compound as solid insulation	EL 2112-32	See above Cl. No. 2.10.5	Р
2.10.5.4	Semiconductor devices	EL 2112-33		N/A
2.10.5.5.	Cemented joints	EL 2112-34	See above Cl. No. 2.10.5	Р
2.10.5.6	Thin sheet material – General	EL 2112-35	See above Cl. No. 2.10.5	Р
2.10.5.7	Separable thin sheet material	EL 2112-36	See above Cl. No. 2.10.5	Р
2.10.5.8	Non-separable thin sheet material	EL 2112-37		N/A
2.10.5.9	Thin sheet material – standard test procedure	EL 2112-38	Alternate test procedure used	N/A
	Electric strength test as per Cl.5.2.2		See above Cl. No. 2.10.5.9	N/A
2.10.5.10	Thin sheet material – alternative test procedure	EL 2112-39	Certified power supply used	Р
	Electric strength test as per Cl.5.2.2		See above Cl. No. 2.10.5.10	Р
2.10.5.11	Insulation in wound components	EL 2112-40		N/A
2.10.5.12	Wire in wound components			N/A
	If Peak Working voltage >71 V			N/A

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)



ULR: TC550821200000463P



Page 30 of 104

TEST REPORT

Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

Discipline: Electronics Group: IT Equipment

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

	a) Basic insulation not under stress	EL 2112-41		N/A
	b) Basic, supplementary, reinforced insulation	EL 2112-42		N/A
	c) Compliance with Annex U	EL 2112-43		N/A
	d) Where two winding wires in contact inside wound component; angle between 45° and 90°	EL 2112-44		N/A
2.10.5.13	Wire with solvent-based enamel in wound components			N/A
	a) Electric strength test (Type test as per Cl.5.2.2)	EL 2112-45		N/A
	b) Electric Strength test (Routine test as per Cl.5.2.2)	EL 2112-46		N/A
2.10.5.14	Additional insulation in wound components			N/A
	If Peak Working Voltage >71V			N/A
	a) Basic insulation not under stress	EL 2112-47		N/A
	b) Supplementary, reinforced insulation	EL 2112-48		N/A
2.10.6	Construction of printed boards*		Certified power supply used	Р
2.10.6.1	Uncoated printed boards	EL 2112-49	See above Cl. No. 2.10.6	Р
2.10.6.2	Coated printed boards	EL 2112-50	Not used	N/A
2.10.6.3	Insulation between conductors on the same inner surface of a printed board	EL 2112-51	No such construction	N/A
2.10.6.4	Insulation between conductors on different surfaces of a printed board*		See above Cl. No. 2.10.6.3	N/A
	a) Minimum Thickness of insulation: 0.4mm or	EL 2112-52	See above Cl. No. 2.10.6.3	N/A
	b) Confirm with one of the specification and pass the relevant tests as per Table 2R	EL 2112-53	See above Cl. No. 2.10.6.3	N/A
2.10.7	Component external terminations	EL 2112-54	No such external terminations	N/A
2.10.8	Tests on coated printed boards and coated components		Uncoated printed boards used	N/A

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 31 of 104

 Discipline: Electronics
 Group: IT Equipment

2.10.8.1	Sample preparation and preliminary inspection*	EL 2112-55		N/A
2.10.8.2	Thermal conditioning	EL 2112-56	See above Cl. No. 2.10.8	N/A
2.10.8.3	Electric strength test	EL 2112-57	See above Cl. No. 2.10.8	N/A
2.10.8.4	Abrasion resistance test	EL 2112-58	See above Cl. No. 2.10.8	N/A
2.10.9	Thermal cycling	EL 2112-59		N/A
2.10.10	Test for Pollution Degree 1 environment and insulating compound	EL 2112-60		N/A
2.10.11	Tests for semiconductor devices and cemented joints	EL 2112-61		N/A
2.10.12	Enclosed and sealed parts	EL 2112-62		N/A

*-Total number of Requirements to be observed / inspected =10

Total No of applicable Requirement =06

No of Requirements for which the sample passed =06

Total number of tests to be conducted =53

Total No of applicable Tests =23

No. of tests for which the sample passed =23

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

Discipline: Electronics Group: IT Equipment

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

Tests relating to Wiring

ULR: TC550821200000463P

EL 2113 - V1.0

Page 32 of 104

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
3.0	Wiring, connections and supply*	EL 2113-00	See below	Р
3.1.1	Current rating and overcurrent protection	EL 2113-01	Adequate cross sectional area used for internal wires and interconnecting cables	Р
3.1.2	Protection against mechanical damage*	EL 2113-02	Wire ways are smooth and free from sharp edges	Р
3.1.3	Securing of internal wiring*	EL 2113-03	Internal wirings are well secured by proper means	Р
3.1.4	Insulation of conductors	EL 2113-04	Certified power supply used	Р
3.1.5	Beads and ceramic insulators	EL 2113-05	Beads and ceramic insulators are not used	N/A
3.1.6	Screws for electrical contact pressure*	EL 2113-06	No such screws used	N/A
3.1.7	Insulating materials in electrical connections*	EL 2113-07	All electrical connections made by metal to metal	Р
3.1.8	Self-tapping and spaced thread screws*	EL 2113-08	No such screw used	Р
3.1.9	Termination of conductors : 10 N pull test	EL 2113-09	Certified power supply used	Р
3.1.10	Sleeving on wiring*	EL 2113-10	Sleeving not used	N/A

*-Total number of Requirements to be observed / inspected	=07
Total No of applicable Requirement	=05
No of Requirements for which the sample passed	=05
Total number of tests to be conducted	=04
Total No of applicable Tests	=03
No. of tests for which the sample passed	=03

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the

requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 33 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Wiring

EL 2114 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
3.2	Connection to a mains supply*	EL 2114-00		Р
3.2.1	Means of connection		See below	Р
3.2.1.1	Connection to an a.c. mains supply*	EL 2114-01	Appliance inlet used with certified power supply	Р
	As per IS 13252 (Part 1): 2010 Cl.No.3.2.1.1,		ISI marked plug used With Certified power Supply Cord set	Р
	Note: It is a legal requirement to provide a plug that complies with the national wiring rules		(See table 1.5.1)	
3.2.1.2	Connection to a d.c. mains supply*	EL 2114-02	No dc mains supply	N/A
3.2.2	Multiple supply connections	EL 2114-03	No multiple supply connections	N/A
3.2.3	Permanently connected equipment	EL 2114-04	Not a permanently connected equipment	N/A
3.2.4	Appliance inlets: Are so Located that parts at hazardous voltage are not accessible during insertion or removal of the connector, connector can be inserted without difficulty and after insertion of the connector, the equipment is not supported by the connector for any position of normal use on a flat surface (appliance inlets complying with IEC 60309 or IEC 60320 considered to comply with this requirement.		Appliance inlet is part of certified power supply	Р
3.2.5	Power supply cords		See below	N/A
3.2.5.1	AC power supply cords*	EL 2114-06	Certified power supply cord set used (See table 1.5.1)	N/A
	Rated current (A), cross-sectional area (mm²), AWG		See above cl. no. 3.2.5.1	N/A
3.2.5.2	DC power supply cords*	EL 2114-07	Not connected to dc mains	N/A
3.2.6	Cord anchorages and strain relief		Detachable power cord used	N/A

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0







 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 34 of 104

 Discipline: Electronics
 Group: IT Equipment

	Mass of the equipment: Pull Force (N):	EL 2114-08	See above Cl. No. 3.2.6	N/A
	b) Longitudinal displacement: 2 mm (Max)	EL 2114-09	See above Cl. No. 3.2.6	N/A
3.2.7	Protection against mechanical damage	EL 2114-10	See above Cl. No. 3.2.6	N/A
3.2.8	Cord guards		Detachable power supply cord set	N/A
	a) Diameter or minor dimension D (mm): Test mass (g):	EL 2114-11	See above Cl. No. 3.2.8	N/A
	b) Radius of curvature of cord : 1.5 D (Min)	EL 2114-12	See above Cl. No. 3.2.8	N/A
3.2.9	Supply wiring space	EL 2114-13	See above Cl. No. 3.2.8	N/A

*-Total number of Requirements to be observed / inspected =05

Total No of applicable Requirement =02

No of Requirements for which the sample passed =02

Total number of tests to be conducted =09

Total No of applicable Tests =01

No. of tests for which the sample passed =01

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 35 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Wiring

EL 2115 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
3.3	Wiring terminals for connection of external conductors*	EL 2115-00	No wiring terminals	N/A
3.3.1	Wiring terminals*	EL 2115-01	See above Cl. No. 3.3	N/A
3.3.2	Connection of non-detachable power supply cords	EL 2115-02	See above Cl. No. 3.3	N/A
3.3.3	Screw terminals*	EL 2115-03	See above Cl. No. 3.3	N/A
3.3.4	Conductor sizes to be connected	EL 2115-04	See above Cl. No. 3.3	N/A
	Rated current (A), cord/cable type, cross-sectional area (mm2)		See above Cl. No. 3.3	N/A
3.3.5	Wiring terminal sizes	EL 2115-05	See above Cl. No. 3.3	N/A
	Rated current (A), type, nominal thread diameter (mm)		See above Cl. No. 3.3	N/A
3.3.6	Wiring terminal design	EL 2115-06	See above Cl. No. 3.3	N/A
3.3.7	Grouping of wiring terminals*	EL 2115-07	See above Cl. No. 3.3	N/A
3.3.8	Stranded wire	EL 2115-08	See above Cl. No. 3.3	N/A

*-Total number of Requirements to be observed / inspected =04

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =05
Total No of applicable Tests =00
No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)



ULR: TC550821200000463P



Page 36 of 104

TEST REPORT

Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

Discipline: Electronics Group: IT Equipment

IEC 60950-1: 2005 + A1:2009 + A2: 2013

Tests relating to Wiring EL 2116 – V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
3.4	Disconnection from the mains supply*	EL 2116-00	See below	Р
3.4.1	General Requirement A disconnect device or devices shall be provided to disconnect the equipment from the mains supply for servicing.	EL 2116-01	Plug is part of Certified power Supply Cord set considered as disconnect device	Р
3.4.2	Disconnect devices*	EL 2116-02	Plug is part of Certified power Supply Cord set considered as disconnect device	Р
3.4.3	Permanently connected equipment*	EL 2116-03	Not a permanently connected equipment	N/A
3.4.4	Parts which remain energized*	EL 2116-04	No parts remain energized	N/A
3.4.5	Switches in flexible cords*	EL 2116-05	No switches in flexible cords	N/A
3.4.6	Number of poles - single-phase and d.c. equipment*	EL 2116-06	Disconnect device disconnects both poles simultaneously	P
3.4.7	Number of poles - three-phase equipment*	EL 2116-07	No such equipment	N/A
3.4.8	Switches as disconnect devices*	EL 2116-08	Switches is part of certified power supply considered as disconnect device	Р
3.4.9	Plugs as disconnect devices*	EL 2116-09	Plug is part of Certified power Supply Cord set considered as disconnect device	Р
3.4.10	Interconnected equipment*	EL 2116-10	No interconnected equipment	N/A
3.4.11	Multiple power sources*	EL 2116-11	No multiple power sources	N/A

*-Total number of Requirements to be observed / inspected =11
Total No of applicable Requirement =05
No of Requirements for which the sample passed =05

Total number of tests to be conducted =01
Total No of applicable Tests =01
No. of tests for which the sample passed =01

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the

requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 37 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Wiring

EL 2117 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
3.5	Interconnection of equipment*	EL 2117-00		Р
3.5.1	General requirements*	EL 2117-01	See below	Р
3.5.2	Types of interconnection circuits*	EL 2117-02	SELV to SELV connections only	Р
3.5.3	ELV circuits as interconnection circuits *	EL 2117-03	No ELV circuit	N/A
3.5.4	Data ports for additional equipment	EL 2117-04	Data ports comply with Cl. No 2.5	Р

*-Total number of Requirements to be observed / inspected =04

Total No of applicable Requirement =03

No of Requirements for which the sample passed =03

Total number of tests to be conducted =01

Total No of applicable Tests =01

No. of tests for which the sample passed =01

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0







 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 38 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Mechanical Properties

EL 2118 - V1.0

	<u> </u>			
Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
4	PHYSICAL REQUIREMENTS*	EL 2118-00		Р
4.1	Stability	EL 2118-01	See below	N/A
	a) A unit having a mass of 7 kg or more shall not fall over when tilted to an angle of 10° from its normal upright position. Alternatively, the unit is placed in its intended position of use on a plane, inclined at an angle of 10° to the horizontal, and then rotated slowly through an angle of 360° about its normal vertical axis.	EL 2118-02	Mass <7kg	N/A
	b) A floor-standing unit having a mass of 25 kg or more shall not fall over when a force equal to 20 % of the weight of the unit, but not more than 250 N, is applied in any direction except upwards, at a height not exceeding 2 m from the floor.	EL 2118-03	No such equipment	N/A
	c) A floor-standing unit shall not fall over when a constant downward force of 800 N is applied at the point of maximum moment to any horizontal surface of at least 125 mm by at least 200 mm, at a height up to 1 m from the floor.	EL 2118-04	No such equipment	N/A

*-Total number of Requirements to be observed / inspected	=01
Total No of applicable Requirement	=01
No of Requirements for which the sample passed	=01
Total number of tests to be conducted	=04
Total No of applicable Tests	=00
No. of tests for which the sample passed	=N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 /

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

Dated: 05/05/2021 Page 39 of 104

Discipline: Electronics

ULR: TC550821200000463P

Group: IT Equipment

Tests relating to Mechanical Properties

EL 2119 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
4.2	Mechanical Strength	EL 2119-00		Р
4.2.1	General	EL 2119-01	See below	Р
4.2.2	Steady force test, 10 N	EL 2119-02	Force applied on standby button. Result: No damage, no hazards	Р
4.2.3	Steady force test, 30 N	EL 2119-03	No such parts	N/A
4.2.4	Steady force test, 250 N	EL 2119-04	Force applied on all sides of the enclosure. Result: No damage, No hazardous	Р
4.2.5	Impact test	EL 2119-05	See below	Р
	a) Fall test as per Fig. 4A	EL 2119-06	Impact applied on top of enclosure Result: No damage, No hazard	Р
	b) Swing test as per Fig. 4A	EL 2119-07	Impact applied on all vertical sides of enclosure Result: No damage, No hazard	Р
4.2.6	Drop test; height (mm) :	EL 2119-08	Equipment is not of category where drop test is applicable	N/A
4.2.7	Stress relief test	EL 2119-09	Metallic enclosure used	N/A
4.2.8	Cathode Ray Tubes	EL 2119-10		N/A
4.2.9	High Pressure Lamps*	EL 2119-11		N/A
4.2.10	Wall or ceiling mounted equipment; force(N)	EL 2119-12	Not a wall or ceiling mounted equipment	N/A

*-Total number of Requirements to be observed / inspected =01

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =12

Total No of applicable Tests =07

No. of tests for which the sample passed =07

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /

 Dated: 05/05/2021 Page 40 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Mechanical Properties

EL 2120 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
4.3	Design and Construction*	EL 2120-00	See below	Р
4.3.1	Edges and corners*	EL 2120-01	All edges or corners accessible to operators are rounded and smoothed	Р
4.3.2	Handles and manual controls; force (N)	EL 2120-02	Handles and manual controls are not used	N/A
4.3.3	Adjustable controls	EL 2120-03	No such controls used	N/A
4.3.4	Securing of parts	EL 2120-04	Internal parts are secured against mechanical stresses	Р
4.3.5	Connections by Plugs and Sockets*	EL 2120-05	No misconnection likely to create hazard	Р
4.3.6	Direct plug-in equipment	EL 2120-06	No direct plug in equipment	N/A
	Torque	EL 2120-07	See above Cl. No. 4.3.6	N/A
	Compliance with the relevant mains plug standard	EL 2120-08	See above Cl. No. 4.3.6	N/A
4.3.7	Heating elements in earthed equipment*	EL 2120-09	No heating elements used	N/A
4.3.8	Batteries Portable secondary sealed cells and batteries (other than button) containing alkaline or other non-acid electrolyte shall comply with IEC 62133		Certified RTC battery (Lithium type) used	N/A
	a) Overcharging of a rechargeable battery	EL 2120-10	See above Cl. No. 4.3.8	N/A
	b) Unintentional charging of a non- rechargeable battery	EL 2120-11	See above Cl. No. 4.3.8	N/A
	c) Reverse charging of a rechargeable battery	EL 2120-12	See above Cl. No. 4.3.8	N/A
	d) Excessive discharging rate for any battery	EL 2120-13	See above Cl. No. 4.3.8	N/A
	e) Electric strength as per Cl.5.3.9.2	EL 2120-14	See above Cl. No. 4.3.8	N/A
4.3.9	Oil & grease*	EL 2120-15		N/A
4.3.10	Dust, powders, liquids and gases	EL 2120-16		N/A
4.3.11	Containers for liquids or gases	EL 2120-17	TEST	N/A

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 41 of 104

 Discipline: Electronics
 Group: IT Equipment

4.3.12	Flammable liquids	EL 2120-18		N/A
4.3.13	Radiation			N/A
4.3.13.2	lonizing radiation	EL 2120-19		N/A
4.3.13.3	Effect of ultraviolet (UV) radiation on materials	EL 2120-20		N/A
4.3.13.4	Human exposure to ultraviolet (UV) radiation	EL 2120-21		N/A
4.3.13.5	Lasers (including laser diodes) and LED's:		Low power LEDs used as indicators	N/A
4.3.13.5.1	Lasers (including laser diodes) For laser see IEC 60825-1, respective part as applicable.	EL 2120-22	No laser used	N/A
	Laser class		No laser used	N/A
4.3.13.5.2	Light emitting diodes (LED's)	EL 2120-23	Low power LED's are used as indicator	N/A
4.3.13.6	Other types*	EL 2120-24	No other types of radiation	N/A

*-Total number of Requirements to be observed / inspected = 06

Total No of applicable Requirement = 03

No of Requirements for which the sample passed = 03

Total number of tests to be conducted = 19

Total No of applicable Tests = 01

No. of tests for which the sample passed = 01

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 42 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Mechanical Properties

EL 2121 - V1.0

	· ·			
Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
4.4	Protection against hazardous moving parts	EL 2121-00	No hazardous moving part used	N/A
4.4.1	General	EL 2121-01	See above Cl. No. 4.4	N/A
4.4.2	Protection in operator access areas	EL 2121-02	See above Cl. No. 4.4	N/A
4.4.3	Protection in restricted access locations *	EL 2121-03	See above Cl. No. 4.4	N/A
4.4.4	Protection in service access areas*	EL 2121-04	See above Cl. No. 4.4	N/A
4.4.5	Protection against moving fan blades	EL 2121-05	See above Cl. No. 4.4	N/A
4.4.5.1	General*	EL 2121-06	See above Cl. No. 4.4	N/A
	Not considered likely to cause pain or injury. a):	EL 2121-07	See above Cl. No. 4.4	N/A
	Is considered likely to cause pain, not injury. b)	EL 2121-08	See above Cl. No. 4.4	N/A
	Considered likely to cause injury. c)	EL 2121-09	See above Cl. No. 4.4	N/A
4.4.5.2	Protection for users*	EL 2121-10	See above Cl. No. 4.4	N/A
	Use of symbol or warning*	EL 2121-11	See above Cl. No. 4.4	N/A
4.4.5.3	Protection for service persons*	EL 2121-12	See above Cl. No. 4.4	N/A
	Use of symbol or warning *	EL 2121-13	See above Cl. No. 4.4	N/A

*-Total number of Requirements to be observed / inspected =07
Total No of applicable Requirement =00
No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =07
Total No of applicable Tests =00

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

=N/A

(Approving Authority)

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0

No. of tests for which the sample passed







 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 43 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Thermal Properties

EL 2122 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
4.5	Thermal Requirements*	EL 2122-00	See below	Р
4.5.1	General	EL 2122-01	See table 4.5	Р
4.5.2	Temperature tests	EL 2122-02	See table 4.5	Р
4.5.3	Temperature limits for materials*	EL 2122-03	See table 4.5	Р
4.5.4	Touch temperature limits*	EL 2122-04	See table 4.5	Р
4.5.5	Resistance to abnormal heat	EL 2122-05	Certified power supply used	Р

*-Total number of Requirements to be observed / inspected	=03
Total No of applicable Requirement	=03
No of Requirements for which the sample passed	=03
Total number of tests to be conducted	=03
Total No of applicable Tests	=03
No. of tests for which the sample passed	=03

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021 ULR: TC550821200000463P

Group: IT Equipment Discipline: Electronics

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

Tests relating to Mechanical Properties

EL 2123 - V1.0

Page 44 of 104

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
4.6	Openings in enclosures*	EL 2123-00		Р
4.6.1	Top and side openings	EL 2123-01	See below	Р
	Dimensions (mm):		See table 4.6.1 , 4.6.2	Р
4.6.2	Bottoms of fire enclosures :	EL 2123-02		N/A
	Construction of the bottom, dimensions (mm):			N/A
4.6.3	Doors or covers in fire enclosures*	EL 2123-03		N/A
4.6.4	Openings in transportable equipment	EL 2123-04	No such equipment	N/A
4.6.4.1	Constructional design measures	EL 2123-05	See above Cl. No. 4.6.4	N/A
	Dimensions (mm)		See above Cl. No. 4.6.4	N/A
4.6.4.2	Evaluation measures for larger openings	EL 2123-06	See above Cl. No. 4.6.4	N/A
4.6.4.3	Use of metallized parts	EL 2123-07	No metalized parts	N/A
4.6.5	Adhesives for constructional purposes: Compliance is checked by examination of the construction and of the available data. If such data is not available, compliance is checked by the following tests.	EL 2123-08	No adhesives used	N/A
	a)Temperature Conditioning at : 100 °C ± 2 °C for one week; or 90 °C ± 2 °C for three weeks; or 82 °C ± 2 °C for eight weeks.	EL 2123-09	See above Cl. No. 4.6.5	N/A
	After temperature conditioning b) Leave the sample between 20°C to 30°C for 1 hour	EL 2123-10	See above Cl. No. 4.6.5	N/A
	c) Place the sample at - 40°C±2°C for 4 hours	EL 2123-11	See above Cl. No. 4.6.5	N/A

TRF No. BIS_ CCTV C/CCTVR_IS13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 45 of 104

 Discipline: Electronics
 Group: IT Equipment

d) Remove and allow the sample to come to any convenient temperature between 20 °C and 30 °C for 8 h;	EL 2123-12	See above Cl. No. 4.6.5	N/A
e) Place the sample in a cabinet at 91 % to 95 % relative humidity for 72 h;	EL 2123-13	See above Cl. No. 4.6.5	N/A
f) Remove the sample and leave it at any convenient temperature between 20 °C and 30 °C for 1 h;	EL 2123-14	See above Cl. No. 4.6.5	N/A
g) Place the sample in an oven at the temperature used for the temperature conditioning for 4 h;	EL 2123-15	See above Cl. No. 4.6.5	N/A
h) Remove the sample and allow it to reach any convenient temperature between 20 °C; and 30 °C for 8 h.	EL 2123-16	See above Cl. No. 4.6.5	N/A
i) The sample is then immediately subjected to the tests of Cl.4.2 as applicable.	EL 2123-17	See above Cl. No. 4.6.5	N/A

*-Total number of Requirements to be observed / inspected =02

Total No of applicable Requirement =01

No of Requirements for which the sample passed =01

Total number of tests to be conducted =16

Total No of applicable Tests =01

No. of tests for which the sample passed =01

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 46 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Fire Safety

EL 2124 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
4.7	Resistance to fire*	EL 2124-00	See below	Р
4.7.1	Reducing the risk of ignition and spread of flame		See below	Р
	Method 1, selection and application of components wiring and materials OR	EL 2124-01	Method 1 used (see table 1.5.1)	Р
	Method 2, application of all of simulated fault condition tests	EL 2124-02	Method 2 not used	N/A
4.7.2	Conditions for a fire enclosure*		See below Cl. No. 4.7.2.1 to 4.7.2.2	Р
4.7.2.1	Parts requiring a fire enclosure*	EL 2124-03	All parts in primary and secondary circuit	Р
4.7.2.2	Parts not requiring a fire enclosure	EL 2124-04	Fire enclosure cover all parts	N/A
4.7.3	Materials*	EL 2124-05	See below Cl. No. 4.7.3.1 to 4.7.3.6	Р
4.7.3.1	General*	EL 2124-06	Certified material used (see table 1.5.1)	Р
	a)Class of material used*	EL 2124-07	See above Cl. No. 4.7.3.1	Р
	b) Where HB40 CLASS MATERIAL, HB75 CLASS MATERIAL or HBF CLASS FOAMED MATERIAL, is required,	EL 2124-08	HB class material used for plastic enclosure of Front bezel glow wire test performed & Complied at 550°C (See table 4.7)	P
	material passing the glow-wire test at 550 °C according to IEC 60695-2-11 is acceptable as an			
	alternative.		Contifued Make of all land	
	c) Where it is not practical to protect components against overheating under fault conditions, the components shall be mounted on V-1 CLASS MATERIAL. Additionally, such components shall be separated from material of a class lower than V-1 CLASS MATERIAL by at least 13 mm of air, or by a solid barrier of V-1 CLASS MATERIAL.	EL 2124-09	Certified Material Used (See table 1.5.1)	P

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 47 of 104

Discipline: Electronics Group: IT Equipment

4.7.3.2	Materials for fire enclosures		See below	N/A
	a) For MOVABLE EQUIPMENT having a total mass not exceeding 18 kg, the material of a FIRE ENCLOSURE, in the thinnest significant wall thickness used, shall be of V-1 CLASS MATERIAL or shall pass the test of Clause A.2.	EL 2124-10	HB Class material used	N/A
	b) For MOVABLE EQUIPMENT having a total mass exceeding 18 kg and for all STATIONARY EQUIPMENT, the material of a FIRE ENCLOSURE, in the thinnest significant wall thickness used, shall be of 5VB CLASS MATERIAL or shall pass the test of Clause A.1.	EL 2124-11	No such equipment	N/A
	c) Materials for components that fill an opening in a FIRE ENCLOSURE, and that are intended to be mounted in this opening shall: be of V-1 CLASS MATERIAL; or pass the tests of Clause A.2; or comply with the flammability		No such opening	N/A
	requirements of the relevant IEC component standard d) Plastic materials of a FIRE ENCLOSURE shall be located	EL 2124-13	No such arcing parts	N/A
	more than 13 mm through air from arcing parts such as unenclosed commutators and unenclosed switch contacts.			

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0







 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 48 of 104

 Discipline: Electronics
 Group: IT Equipment

	e)Plastic materials of a FIRE ENCLOSURE located less than 13mm through air from non-arcing parts which, under any condition of normal or abnormal operation, could attain a temperature sufficient to ignite the material, shall be capable of passing the test of IEC 60695-2-20. The average time to ignition of the samples shall be not less than 15sec. If the sample melts through without igniting, the time at which this occurs is not considered to be the time to ignition.	EL 2124-14	No such Construction	N/A
4.7.3.3	Materials for components and other parts outside fire enclosures *		See below	Р
	a) Materials shall be of: - HB75 CLASS MATERIAL if the thinnest significant thickness of this material is < 3 mm, or - HB40 CLASS MATERIAL if the thinnest significant thickness of this material is ≥ 3 mm, or - HBF CLASS FOAMED MATERIAL.*	EL 2124-15	HB class material used (See table 1.5.1)	Р

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 49 of 104 Discipline: Electronics Group: IT Equipment

	b) Connectors shall comply with one of the following: be made of V-2 CLASS MATERIAL; or pass the tests of Clause A.2; or comply with the flammability requirements of the relevant IEC component standard; or be mounted on V-1 CLASS MATERIAL and be of a small size; or be located in a SECONDARY CIRCUIT supplied by a power source that is limited to a maximum of 15 VA (see 1.4.11) under normal operating conditions and after a single fault in the equipment (see 1.4.14).	EL 2124-16	Certified material used (See table 1.5.1)	P
4.7.3.4	Materials for components and other parts inside fire enclosures a) Inside FIRE ENCLOSURES, materials for components and other parts shall comply with one of the following: - be of V-2 CLASS MATERIAL or HF-2 CLASS FOAMED MATERIAL; or - pass the flammability test described in Clause A.2; or - meet the flammability requirements of a relevant IEC	EL 2124-17	Certified material used (See table 1.5.1) See above Cl. No. 4.7.3.4	P
	component standard that includes such requirements. Requirements for voltage dependent resistors (VDR's) are in Annex Q.*	EL 2124-18	Certified power supply used	Р
4.7.3.5	Materials for air filter assemblies : Air filter assemblies shall be constructed of V-2 CLASS MATERIAL, or HF-2 CLASS FOAMED MATERIAL.	EL 2124-19	No such air filter assemblies	N/A
4.7.3.6	Materials used in high-voltage components		No such component used	N/A

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 50 of 104

 Discipline: Electronics
 Group: IT Equipment

a) High-voltage components operating at peak-to-peak voltages exceeding 4 kV shall either be of V-2 CLASS MATERIAL, or HF-2 CLASS FOAMED MATERIAL, or comply with 14.4 of IEC 60065 or pass the needle flame test according to IEC 60695-11-5.	EL 2124-20	See above Cl. No. 4.7.3.6	N/A
	EL 2124-21	See above Cl. No. 4.7.3.6	N/A
c) In addition to above, the following details apply, referring to clauses of IEC 60695-11-5: Clause 7 - Severities	EL 2124-22	See above Cl. No. 4.7.3.6	N/A
3 2 2 2 2 2 2 2 3	EL 2124-23 EL 2124-24	See above Cl. No. 4.7.3.6 See above Cl. No. 4.7.3.6	N/A N/A

*-Total number of Requirements to be observed / inspected =07
Total No of applicable Requirement =06
No of Requirements for which the sample passed =06

Total number of tests to be conducted =18
Total No of applicable Tests =04
No. of tests for which the sample passed =04

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 51 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Insulating Properties

EL 2125 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
5.0	ELECTRICAL REQUIREMENTS AND SIMULATED ABNORMAL CONDITIONS*	EL 2125-00	See below	Р
5.1	Touch current and protective conductor current*	EL 2125-01	See table 5.1.6	Р
5.1.2	Configuration of equipment under test (EUT)*	EL 2125-02	See below Cl. No.5.1.2.1	Р
5.1.2.1	Single connection to an a.c. mains supply*	EL 2125-03	The equipment has only one mains connection	Р
5.1.2.2	Redundant multiple connections to an a.c. mains supply*	EL 2125-04	Only single AC mains supply	N/A
5.1.2.3	Simultaneous multiple connections to an a.c. mains supply	EL 2125-05	See above Cl. No.5.1.2.2	N/A
5.1.3	Test circuit	EL 2125-06	As per figure 5A	Р
5.1.4	Application of measuring instrument	EL 2125-07	Tested using figure D.1 measuring instrument of Annex D	Р
5.1.5	Test procedure	EL 2125-08	See table 5.1.6	Р
5.1.6	Test measurements		See below	Р
	a) r.m.s value of voltage, U2 measured using the instrument as per Fig. D.1 or	EL 2125-09	See table 5.1.6	Р
	r.m.s value of current measured using the instrument as per Fig. D.2			
	Alternatively, peak value of voltage, U2, is measured using the measuring instrument described in Clause D.1			
	b) Measured touch current (mA):	EL 2125-10	Testing using figure D.1 measuring instruments of annex D	Р
	c) Calculated value of TOUCH CURRENT (mA) = U2 / 500	EL 2125-11	See table 5.1.6	Р
	d) Measured protective conductor current(mA)	EL 2125-12		N/A
	e) Max. protective conductor current =5% of Input current	EL 2125-13	Touch current less than 3.5mA	N/A

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 52 of 104 Discipline: Electronics Group: IT Equipment

5.1.7	Equipment with touch current exceeding 3.5 mA	EL 2125-14	Touch current less than 3.5mA	N/A
5.1.7.1	General	EL 2125-15	See above	N/A
5.1.7.2	Simultaneous multiple connections to the supply	EL 2125-16	No multiple connection to the supply	N/A
5.1.8	Touch currents to telecommunication networks and cable distribution systems and from telecommunication networks	EL 2125-17	No telecommunication networks	N/A
5.1.8.1	Limitation of the touch current to a telecommunication network or to a cable distribution system	EL 2125-18	See above Cl. No. 5.1.8	N/A
	Supply voltage (V)		See above Cl. No. 5.1.8	N/A
	Measured touch current (mA)		See above Cl. No. 5.1.8	N/A
	Max. allowed touch current (mA)		See above Cl. No. 5.1.8	N/A
5.1.8.2	Summation of touch currents from telecommunication networks	EL 2125-19	See above Cl. No. 5.1.8	N/A
	a) EUT with earthed telecommunication ports :		See above Cl. No. 5.1.8	N/A
	b) EUT whose telecommunication ports have no reference to protective earth		See above Cl. No. 5.1.8	N/A

*-Total number of Requirements to be observed / inspected =05

Total No of applicable Requirement =04

No of Requirements for which the sample passed =04

Total number of tests to be conducted =15

Total No of applicable Tests =06

No. of tests for which the sample passed =06

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 53 of 104 Discipline: Electronics Group: IT Equipment

Tests relating to Insulating Properties

EL 2126 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
5.2	Electric strength*	EL 2126-00		Р
5.2.1	General*	EL 2126-01	See below	Р
5.2.2	Test procedure		Table 5B used	Р
	a) The test voltages for electric strength for the appropriate grade of insulation [FUNCTIONAL	EL 2126-02	See table 5.2	Р
	INSULATION if required by 5.3.4 b), BASIC INSULATION, SUPPLEMENTARY INSULATION or			
	REINFORCED INSULATION] are as specified in either:			
	- Table 5B using the PEAK WORKING VOLTAGE (U), as determined in 2.10.2; or			
	- Table 5C using the REQUIRED WITHSTAND VOLTAGE, as determined in G.4.			

*- Total number of Requirements to be observed / inspected	=02
Total No of applicable Requirement	=02
No of Requirements for which the sample passed	=02
Total number of tests to be conducted	=01
Total No of applicable Tests	=01
No. of tests for which the sample passed	=01

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 54 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Insulating Properties

EL 2127 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
5.3	Abnormal operating and fault conditions	EL 2127-00	See below	Р
5.3.1	Protection against overload and abnormal operation	EL 2127-01	See table 5.3	Р
5.3.2	Motors	EL 2127-02		N/A
5.3.3	Transformers	EL 2127-03	Certified power supply used	Р
5.3.4	Functional insulation:	EL 2127-04	Functional insulation complies with the requirements of Cl. No. 5.3.4(c)	Р
5.3.5	Electromechanical components	EL 2127-05		N/A
5.3.6	Audio amplifiers in ITE :	EL 2127-06	No audio amplifiers	N/A
5.3.7	Simulation of faults	EL 2127-07	See table 5.3	Р
5.3.8	Unattended equipment	EL 2127-08		N/A
5.3.9	Compliance criteria for abnormal operating and fault conditions*		See table 5.3	Р
5.3.9.1	During the tests	EL 2127-09	No fire occurred, no molten metal emitted and no distortion of enclosure	Р
5.3.9.2	After the tests	EL 2127-10	No break down occurred	Р

*-Total number of Requirements to be observed / inspected =00

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =11

Total No of applicable Tests =07

No. of tests for which the sample passed =07

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the

requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

 Page 55 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Communicating Connection

EL 2128 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
6.1	Protection of telecommunication network service persons, and users of other equipment connected to the network, from hazards in the equipment	EL 2128-00	Equipment not for connection to telecommunication network	N/A
6.1.1	Protection from hazardous voltages	EL 2128-01	See above Cl. No. 6.1	N/A
6.1.2	Separation of the telecommunication network from earth*		See above Cl. No. 6.1	N/A
6.1.2.1	Requirements: - Surge suppressors that bridge the insulation shall have a minimum rated operating voltage Uop of Uop = Upeak + ΔUsp + ΔUsa Where Upeak is 360V or 180V ΔUsp is the maximum increase of the rated operating voltage due to variations in component production(If not specified by the manufacturer, shall be taken as 10% of the rated operating voltage of the component) ΔUsa is the maximum increase of the rated operating voltage due to the component ageing over the expected life of the equipment(If not specified by the manufacturer, shall be taken as 10% of the rated operating voltage of the component) -Insulation is subjected to electric strength test according to 5.2.2. The a.c test voltage is 1.5kV or 1.0kV - Components bridging the insulation that are left in place during electric strength testing shall not be damaged. There shall be no breakdown of insulation during electric strength testing.	EL 2128-02	See above Cl. No. 6.1	N/A
6.1.2.2	Exclusions	EL 2128-03	See above Cl. No. 6.1	N/A

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 56 of 104 Discipline: Electronics Group: IT Equipment

*-Total number of Requirements to be observed / inspected = 00

Total No of applicable Requirement = 00

No of Requirements for which the sample passed = N/A

Total number of tests to be conducted = 04

Total No of applicable Tests = 00

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

= N/A

(Approving Authority)

No. of tests for which the sample passed

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 57 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Communicating Connection

EL 2129 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
6.2	Protection of equipment users from overvoltages on telecommunication networks*	EL 2129-00	Equipment not for connection to telecommunication network	N/A
6.2.1	Separation requirements	EL 2129-01	See above Cl. No. 6.2	N/A
6.2.2	Electric strength test procedure	EL 2129-02	See above Cl. No. 6.2	N/A
6.2.2.1	Impulse test	EL 2129-03	See above Cl. No. 6.2	N/A
6.2.2.2	Steady-state test	EL 2129-04	See above Cl. No. 6.2	N/A
6.2.2.3	Compliance criteria	EL 2129-05	See above Cl. No. 6.2	N/A

*-Total number of Requirements to be observed / inspected =01

Total No of applicable Requirement = 00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =05

Total No of applicable Tests = 00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /

Dated: 05/05/2021

 Page 58 of 104 Group: IT Equipment

Tests relating to Communicating Connection

Discipline: Electronics

EL 2130 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
6.3	Protection of the telecommunication wiring system from overheating	EL 2130-00	Equipment not for connection to telecommunication wiring system	N/A
	a)If current limiting is due to the inherent impedance of the power source, the output current into any resistive load, including a short-circuit, is measured. The current limit shall not be exceeded after 60 s of test. Max. output current (A):	EL 2130-01	See above Cl. No. 6.3	N/A
	b) If current limiting is provided by an overcurrent protective device having a specified time/current characteristic: - the time/current characteristic shall show that a current equal to 110 % of the current limit will be interrupted within 60 min; and	EL 2130-02	See above Cl. No. 6.3	N/A
	c) the output current into any resistive load, including a short-circuit, with the overcurrent protective device bypassed, measured after 60 s of test, shall not exceed 1 000/U,	EL 2130-03	See above Cl. No. 6.3	N/A
	where U is the output voltage measured in accordance with 1.4.5 with all load circuits disconnected.			

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0







 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 59 of 104

 Discipline: Electronics
 Group: IT Equipment

d) If current limiting is provided by an overcurrent protective device that does not have a	EL 2130-04	See above Cl. No. 6.3	N/A
specified time/current characteristic:			
the output current into any resistive load, including a short-circuit, shall not exceed the			
current limit after 60 s of test; and			
- the output current into any resistive load, including a short-circuit, with the overcurrent			
protective device bypassed, measured after 60 s of test, shall not exceed 1 000/U, where			
U is the output voltage measured in accordance with 1.4.5 with all load circuits			
disconnected.			

*-Total number of Requirements to be observed / inspected =00

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =05

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)



Discipline: Electronics



TEST REPORT

Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 /

Dated: 05/05/2021

 Page 60 of 104 Group: IT Equipment

Tests relating to Connection to cable distribution system

EL 2131 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
7	Connection to cable distribution systems*	EL 2131-00	Equipment is not for connection to cable distribution systems	N/A
7.1	General requirements*	EL 2131-01	See above Cl. No. 7	N/A
7.2	Protection of cable distribution system service persons, and users of other equipment connected to the system, from hazardous voltages in the equipment	EL 2131-02	See above Cl. No. 7	N/A
7.3	Protection of equipment users from overvoltages on the cable distribution system	EL 2131-03	See above Cl. No. 7	N/A
7.4	Insulation between primary circuits and cable distribution systems	EL 2131-04	See above Cl. No. 7	N/A
7.4.1	General	EL 2131-05	See above Cl. No. 7	N/A
7.4.2	Voltage surge test	EL 2131-06	See above Cl. No. 7	N/A
7.4.3	Impulse test	EL 2131-07	See above Cl. No. 7	N/A

*-Total number of Requirements to be observed / inspected =02

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =06

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

 Page 61 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Fire Safety

EL 2132 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
А	ANNEX A, TESTS FOR RESISTANCE TO HEAT AND FIRE	EL 2132-00		Р
A.1	Flammability test for fire enclosures of movable equipment having a total mass exceeding 18 kg, and of stationary equipment (see 4.7.3.2)	EL 2132-01	Metallic enclosure used	N/A
A.1.1	Samples:	EL 2132-02	See above Cl. No. A.1	N/A
	Wall thickness (mm):		See above Cl. No. A.1	N/A
A.1.2	Conditioning of samples; temperature (°C):	EL 2132-03	See above Cl. No. A.1	N/A
A.1.3	Mounting of samples :	EL 2132-04	See above Cl. No. A.1	N/A
A.1.4	Test flame (see IEC 60695-11-3)	EL 2132-05	See above Cl. No. A.1	N/A
	Flame A, B, C or D:		See above Cl. No. A.1	N/A
A.1.5	Test procedure	EL 2132-06	See above Cl. No. A.1	N/A
A.1.6	Compliance criteria	EL 2132-07	See above Cl. No. A.1	N/A
	Sample 1 burning time (s):		See above Cl. No. A.1	N/A
	Sample 2 burning time (s):		See above Cl. No. A.1	N/A
	Sample 3 burning time (s):		See above Cl. No. A.1	N/A
A.2	Flammability test for fire enclosures of movable equipment having a total mass not exceeding 18 kg, and for material and components located inside fire enclosures (see 4.7.3.2 and 4.7.3.4)	EL 2132-08	All material have suitable flame class (See table 1.5.1)	P
A.2.1	Samples, material:	EL 2132-09	See above Cl. No. A.2	N/A
	Wall thickness (mm):		See above Cl. No. A.2	N/A
A.2.2	Conditioning of samples; temperature (°C):	EL 2132-10	See above Cl. No. A.2	N/A
A.2.3	Mounting of samples :	EL 2132-11	See above Cl. No. A.2	N/A

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 62 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Fire Safety

EL 2132 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
A.2.4	Test flame (see IEC 60695-11-4)	EL 2132-12	See above Cl. No. A.2	N/A
	Flame A, B or C:		See above Cl. No. A.2	N/A
A.2.5	Test procedure	EL 2132-13	See above Cl. No. A.2	N/A
A.2.6	Compliance criteria	EL 2132-14	See above Cl. No. A.2	N/A
	Sample 1 burning time (s):		See above Cl. No. A.2	N/A
	Sample 2 burning time (s):		See above Cl. No. A.2	N/A
	Sample 3 burning time (s):		See above Cl. No. A.2	N/A
A.2.7	Alternative test acc. to IEC 60695-11-5, cl. 5 and 9	EL 2132-15	See above Cl. No. A.2	N/A
	Sample 1 burning time (s):		See above Cl. No. A.2	N/A
	Sample 2 burning time (s):		See above Cl. No. A.2	N/A
	Sample 3 burning time (s):		See above Cl. No. A.2	N/A
A.3	Hot flaming oil test (see 4.6.2)	EL 2132-16		N/A
A.3.1	Mounting of samples	EL 2132-17		N/A
A.3.2	Test procedure	EL 2132-18		N/A
A.3.3	Compliance criterion	EL 2132-19		N/A

1- Total number of Requirements to be observed / inspected	=00
Total No of applicable Requirement	=00
No of Requirements for which the sample passed	=N/A
Total number of tests to be conducted	=20
Total No of applicable Tests	=02
No. of tests for which the sample passed	=02

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 Dated: 05/05/2021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 /

Page 63 of 104 Group: IT Equipment Discipline: Electronics

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

Tests relating to Insulating Properties

ULR: TC550821200000463P

EL 2133 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
В	ANNEX B, MOTOR TESTS UNDER ABNORMAL CONDITIONS (see 4.7.2.2 and 5.3.2)	EL 2133-00	No motor used	N/A
B.1	General requirements	EL 2133-01	See above Cl. No. B	N/A
	Position:		See above Cl. No. B	N/A
	Manufacturer:		See above Cl. No. B	N/A
	Type :		See above Cl. No. B	N/A
	Rated values :		See above Cl. No. B	N/A
B.2	Test conditions	EL 2133-02	See above Cl. No. B	N/A
B.3	Maximum temperatures	EL 2133-03	See above Cl. No. B	N/A
B.4	Running overload test	EL 2133-04	See above Cl. No. B	N/A
B.5	Locked-rotor overload test	EL 2133-05	See above Cl. No. B	N/A
	Test duration (days):		See above Cl. No. B	N/A
	Electric strength test: test voltage (V):		See above Cl. No. B	N/A
B.6	Running overload test for d.c. motors in secondary circuits	EL 2133-06	See above Cl. No. B	N/A
B.6.1	General	EL 2133-07	See above Cl. No. B	N/A
B.6.2	Test procedure	EL 2133-08	See above Cl. No. B	N/A
B.6.3	Alternative test procedure	EL 2133-09	See above Cl. No. B	N/A
B.6.4	Electric strength test; test voltage (V):	EL 2133-10	See above Cl. No. B	N/A
B.7	Locked-rotor overload test for d.c. motors in secondary circuits	EL 2133-11	See above Cl. No. B	N/A
B.7.1	General	EL 2133-12	See above Cl. No. B	N/A
B.7.2	Test procedure	EL 2133-13	See above Cl. No. B	N/A
B.7.3	Alternative test procedure	EL 2133-14	See above Cl. No. B	N/A
B.7.4	Electric strength test; test voltage (V):	EL 2133-15	See above Cl. No. B	N/A

TRF No. BIS_ CCTV C/CCTVR_IS13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 64 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Insulating Properties

EL 2133 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
B.8	Test for motors with capacitors	EL 2133-16	See above Cl. No. B	N/A
B.9	Test for three-phase motors	EL 2133-17	See above Cl. No. B	N/A
B.10	Test for series motors	EL 2133-18	See above Cl. No. B	N/A
	Operating voltage (V):		See above Cl. No. B	N/A

*-Total number of Requirements to be observed / inspected =00

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =19

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 65 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Electrical Safety

EL 2134 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
С	ANNEX C, TRANSFORMERS (see 1.5.4 and 5.3.3)*	EL 2134-00	Certified power supply used	Р
	Position :		See above Cl. No. C	Р
	Manufacturer:		See above Cl. No. C	Р
	Type:		See above Cl. No. C	Р
	Rated values :		See above Cl. No. C	Р
	Method of protection:		See above Cl. No. C	Р
C.1	Overload test	EL 2134-01	See above Cl. No. C	Р
C.2	Insulation	EL 2134-02	See above Cl. No. C	Р
	Protection from displacement of windings:		See above Cl. No. C	Р

*-Total number of Requirements to be observed / inspected	=01
Total No of applicable Requirement	=01
No of Requirements for which the sample passed	=01
Total number of tests to be conducted	=02
Total No of applicable Tests	=02
No. of tests for which the sample passed	=02

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 66 of 104 Discipline: Electronics Group: IT Equipment

Tests relating to Insulating Properties

EL 2135 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
D	ANNEX D, MEASURING INSTRUMENTS FOR TOUCH- CURRENT TESTS (see 5.1.4)	EL 2135-00	See below	Р
D.1	Measuring instrument	EL 2135-01	Measuring instrument D.1 used	Р
D.2	Alternative measuring instrument	EL 2135-02	Alternative measuring instrument not used	N/A

*-Total number of Requirements to be observed / inspected =00

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =03

Total No of applicable Tests =02

No. of tests for which the sample passed =02

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TEST HOUSE *

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 67 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Thermal Properties

EL 2136- V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
E	ANNEX E, TEMPERATURE RISE OF A WINDING (see 1.4.13)	EL2136-00		N/A

*-Total number of Requirements to be observed / inspected =00

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =01

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approvina Authority)

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0







 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 68 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Electrical Safety

EL 2137 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
F	ANNEX F, MEASUREMENT OF CLEARANCES AND CREEPAGE DISTANCES (see 2.10 and Annex G)	EL2137-00	Certified power supply used	Р

*-Total number of Requirements to be observed / inspected =00

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =01

Total No of applicable Tests =01

No. of tests for which the sample passed =01

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 /

0040

Dated: 05/05/2021 Page 69 of 104

Discipline: Electronics

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

Group: IT Equipment

Tests relating to Electrical safety

ULR: TC550821200000463P

EL 2138 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
G	ANNEX G, ALTERNATIVE METHOD FOR DETERMINING MINIMUM CLEARANCES	EL 2138-00	Alternative method not used	N/A
G.1	Clearances	EL 2138-01	See above Cl. No. G	N/A
G.1.1	General	EL 2138-02	See above Cl. No. G	N/A
G.1.2	Summary of the procedure for determining minimum clearances	EL 2138-03	See above Cl. No. G	N/A
G.2	Determination of mains transient voltage (V)	EL 2138-04	See above Cl. No. G	N/A
G.2.1	AC Mains supply	EL 2138-05	See above Cl. No. G	N/A
G.2.2	Earthed d.c. mains supplies	EL 2138-06	See above Cl. No. G	N/A
G.2.3	Unearthed d.c. mains supplies	EL 2138-07	See above Cl. No. G	N/A
G.2.4	Battery operation	EL 2138-08	See above Cl. No. G	N/A
G.3	Determination of telecommunication network transient voltage (V)	EL 2138-09	See above Cl. No. G	N/A
G.4	Determination of required withstand voltage (V)	EL 2138-10	See above Cl. No. G	N/A
G.4.1	Mains transients and internal repetitive peaks	EL 2138-11	See above Cl. No. G	N/A
G.4.2	Transients from telecommunication networks:	EL 2138-12	See above Cl. No. G	N/A
G.4.3	Combination of transients	EL 2138-13	See above Cl. No. G	N/A
G.4.4	Transients from cable distribution systems	EL 2138-14	See above Cl. No. G	N/A
G.5	Measurement of transient voltages (V)	EL 2138-15	See above Cl. No. G	N/A
	a) Transients from a mains supply		See above Cl. No. G	N/A
	For an a.c. mains supply		See above Cl. No. G	N/A
	For a d.c. mains supply		See above Cl. No. G	N/A
	b) Transients from a telecommunication network		See above Cl. No. G	N/A

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 70 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Electrical safety

EL 2138 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
G.6	Determination of minimum clearances	EL 2138-16	See above Cl. No. G	N/A

*-Total number of Requirements to be observed / inspected =00

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =17

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)







 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 71 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Radiation Safety

EL 2139 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
Н	ANNEX H, IONIZING RADIATION (see 4.3.13)	EL 2139-00		N/A

*-Total number of Requirements to be observed / inspected =00

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =01

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)







 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 72 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Electrical Safety

EL 2140 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
J	ANNEX J, TABLE OF ELECTROCHEMICAL POTENTIALS (see 2.6.5.6)*	EL 2140-00	No risk of corrosion (Certified power supply used)	Р
	Metal(s) used :		See above Cl. No. J	Р

*-Total number of Requirements to be observed / inspected =01

Total No of applicable Requirement =01

No of Requirements for which the sample passed =01

Total number of tests to be conducted =00

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 /

Dated: 05/05/2021

 Page 73 of 104 Group: IT Equipment

Tests relating to General Requirement

Discipline: Electronics

EL 2141 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
К	ANNEX K, THERMAL CONTROLS (see 1.5.3 and 5.3.8)*	EL 2141-00	No thermal controls used	N/A
K.1	Making and breaking capacity	EL 2141-01	See above Cl. No. K	N/A
K.2	Thermostat reliability; operating voltage (V):	EL 2141-02	See above Cl. No. K	N/A
K.3	Thermostat endurance test; operating voltage (V):	EL 2141-03	See above Cl. No. K	N/A
K.4	Temperature limiter endurance; operating voltage (V):	EL 2141-04	See above Cl. No. K	N/A
K.5	Thermal cut-out reliability	EL 2141-05	See above Cl. No. K	N/A
K.6	Stability of operation	EL 2141-06	See above Cl. No. K	N/A

*-Total number of Requirements to be observed / inspected =01

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =06

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 74 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to General Requirement

EL 2142 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
L	ANNEX L, NORMAL LOAD CONDITIONS FOR SOME TYPES OF ELECTRICAL BUSINESS EQUIPMENT (see 1.2.2.1 and 4.5.2)*	EL 2142-00	See below	Р
L.1	Typewriters*	EL 2142-01	See below Cl. No. L.7	N/A
L.2	Adding machines and cash registers*	EL 2142-02	See below Cl. No. L.7	N/A
L.3	Erasers*	EL 2142-03	See below Cl. No. L.7	N/A
L.4	Pencil sharpeners*	EL 2142-04	See below Cl. No. L.7	N/A
L.5	Duplicators and copy machines*	EL 2142-05	See below Cl. No. L.7	N/A
L.6	Motor-operated files*	EL 2142-06	See below Cl. No. L.7	N/A
L.7	Other business equipment*	EL 2142-07	See table 1.6.2	Р

*-Total number of Requirements to be observed / inspected =08

Total No of applicable Requirement =02

No of Requirements for which the sample passed =02

Total number of tests to be conducted =00

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 75 of 104 Discipline: Electronics Group: IT Equipment

Tests relating to Electrical Safety

EL 2143 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
М	ANNEX M, CRITERIA FOR	EL 2143-00		N/A
	TELEPHONE RINGING			
	SIGNALS (see 2.3.1)			
M.1	Introduction*	EL 2143-01		N/A
M.2	Method A	EL 2143-02		N/A
M.3	Method B	EL 2143-03		N/A
M.3.1	Ringing signal	EL 2143-04		N/A
M.3.1.1	Frequency (Hz)	EL 2143-05		N/A
M.3.1.2	Voltage (V)	EL 2143-06		N/A
M.3.1.3	Cadence; time (s), voltage (V)	EL 2143-07		N/A
M.3.1.4	Single fault current (mA)	EL 2143-08		N/A
M.3.2	Tripping device and monitoring	EL 2143-09		N/A
	voltage			
M.3.2.1	Conditions for use of a tripping	EL 2143-10		N/A
	device or a monitoring voltage			
M.3.2.2	Tripping device	EL 2143-11		N/A
M.3.2.3	Monitoring voltage (V)	EL 2143-12		N/A

*-Total number of Requirements to be observed / inspected =01
Total No of applicable Requirement =00
No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =12
Total No of applicable Tests =00
No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 76 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Electrical safety

EL 2144 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
N	ANNEX N, IMPULSE TEST GENERATORS (see 1.5.7.2, 1.5.7.3, 2.10.3.9, 6.2.2.1, 7.3.2, 7.4.3 and Clause G.5)	EL 2144-00		N/A
N.1	ITU-T impulse test generators	EL 2144-01		N/A
N.2	IEC 60065 impulse test generator	EL 2144-02		N/A

*-Total number of Requirements to be observed / inspected =00

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =03

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TEST HOUSE *





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 77 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to General Requirements

No. of tests for which the sample passed

EL 2145- V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
Р	ANNEX P, NORMATIVE REFERENCES	EL 2145-00		N/A

*-Total number of Requirements to be observed / inspected =00

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =01

Total No of applicable Tests =00

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

=N/A

(Approving Authority)







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 78 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to General Requirements

EL 2146 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
Q	ANNEX Q, Voltage dependent	EL 2146-00	Certified power supply used	Р
	resistors (VDRs) (see 1.5.9.1)			
	A VDR shall comply with iec		See above Cl. No. Q	Р
	61051-2, whether a fire enclosure			
	is provided or not, taking into			
	account all of the following:			
	a) Preferred climatic categories		See above Cl. No. Q	Р
	Lower category temperature:			
	-10°C			
	Upper category temperature:			
	+85°C			
	Duration of damp Test, steady			
	state test:21 days			
	b) Maximum continuous voltage:		See above Cl. No. Q	Р
	Atleast 1,25 times the rated		Coc above on two. Q	'
	voltage of the equipment or			
	Atleast 1,25 times the upper			
	voltage of the rated voltage range			
	c) Combination pulse :	EL 2146-01	See above Cl. No. Q	Р
	d) Body of the VDR shall comply	EL 2146-02	See above Cl. No. Q	Р
	with Needle flame test according			
	to IEC 60695-11-5 with the			
	following test severities:			
	duration of application of the test			
	flame: 10 s			
	after flame time: 5s			
	[This test is not required if VDR			
	complies with V-1 CLASS			
L	MATERIAL] number of Requirements to be obse	<u> </u>	ed =00	

rotal frambol of responding to be obtained inoposited	-00
Total No of applicable Requirement	=00
No of Requirements for which the sample passed	=N/A
Total number of tests to be conducted	=03
Total No of applicable Tests	=03
No. of tests for which the sample passed	=03

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2: 2013 Page 79 of 104 Group: IT Equipment

Tests relating to General Requirement

Discipline: Electronics

EL 2147- V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
R	ANNEX R, EXAMPLES OF REQUIREMENTS FOR QUALITY CONTROL PROGRAMMES*	EL 2147-00	No Such Requirements	N/A
R.1	Minimum separation distances for unpopulated coated printed boards (see 2.10.6.2)*	EL 2147-01	See above Cl. No. R	N/A
R.2	Reduced clearances (see 2.10.3)*	EL 2147-02	See above Cl. No. R	N/A

*-Total number of Requirements to be observed / inspected =03 =00 Total No of applicable Requirement =N/ANo of Requirements for which the sample passed Total number of tests to be conducted =00 =00 Total No of applicable Tests =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

No. of tests for which the sample passed







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 80 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to General Requirement

EL 2148 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
S	ANNEX S, PROCEDURE FOR IMPULSE TESTING (see 6.2.2.3)*	EL 2148-00		N/A
S.1	Test equipment*	EL 2148-01		N/A
S.2	Test procedure*	EL 2148-02		N/A
S.3	Examples of waveforms during impulse testing*	EL 2148-03		N/A

*-Total number of Requirements to be observed / inspected =04

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =00Total No of applicable Tests =00No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)







 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 81 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Protection against Ingress of water

EL 2149 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
Т	ANNEX T, GUIDANCE ON PROTECTION AGAINST INGRESS OF WATER (see 1.1.2)	EL 2149-00	IPXX	N/A

*-Total number of Requirements to be observed / inspected =00

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =01

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

 Page 82 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Wiring

EL 2150 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
U	annex u, insulated winding wires for use without interleaved insulation (see 2.10.5.4)	EL2150-00		N/A
U.1	general	EL2150-01		N/A
U.2	type tests	EL2150-02		N/A
U.2.1	general	EL2150-03		N/A
U.2.2	electric strength	EL2150-04		N/A
U.2.2.1	solid round winding wire and stranded winding wires	EL2150-05		N/A
U.2.2.1.1	wires with nominal conductor diameter upto and including 0.100mm	EL2150-06		N/A
U.2.2.1.2	wires with nominal conductor diameter over 0.100mm and including 2.500mm	EL2150-07		N/A
U.2.2.1.3	wires with nominal conductor diameter over 2.500mm	EL2150-08		N/A
U.2.2.2	square or rectangular wires	EL2150-09		N/A
U.2.3	flexibility and adherence	EL2150-10		N/A
U.2.4	heat shock	EL2150-11		N/A
U.2.5	retention of electric strength after bending	EL2150-12		N/A
U.3	testing during manufacturing	EL2150-13		N/A
U.3.1	general	EL2150-14		N/A
U.3.2	routine tests	EL2150-15		N/A
U.3.3	sampling test	EL2150-16		N/A







 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2 : 2013
 Page 83 of 104

 Discipline: Electronics
 Group: IT Equipment

*-Total number of Requirements to be observed / inspected =00

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =17

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)







 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 84 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Electrical Safety

EL 2151 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
V	ANNEX V, AC POWER DISTRIBUTION SYSTEMS (see 1.6.1) *	EL 2151-00	Considered	Р
V.1	Introduction*	EL 2151-01	Considered	Р
V.2	TN power distribution systems	EL 2151-02	Considered	Р
V.3	TT Power Distribution systems	EL 2151-03		N/A
V.4	IT Power Distribution systems	EL 2151-04		N/A

*-Total number of Requirements to be observed / inspected =02

Total No of applicable Requirement =02

No of Requirements for which the sample passed =02

Total number of tests to be conducted =03

Total No of applicable Tests =01

No. of tests for which the sample passed =01

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

Page 85 of 104

Group: IT Equipment

Tests relating to Electrical Safety

EL 2152 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
W	ANNEX W, SUMMATION OF TOUCH CURRENTS *	EL 2152-00		N/A
W.1	Touch current from electronic circuits*	EL 2152-01		N/A
W.1.1	Floating circuits*	EL 2152-02		N/A
W.1.2	Earthed circuits*	EL 2152-03		N/A
W.2	Interconnection of several equipments*	EL 2152-04		N/A
W.2.1	Isolation*	EL 2152-05		N/A
W.2.2	Common return, isolated from earth*	EL 2152-06		N/A
W.2.3	Common return, connected to protective earth*	EL 2152-07		N/A

*-Total number of Requirements to be observed / inspected =08

Total No of applicable Requirement = 00

No of Requirements for which the sample passed = N/A

Total number of tests to be conducted =00

Total No of applicable Tests = 00

No. of tests for which the sample passed = N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 86 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Electrical Safety

EL 2153- V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
X	ANNEX X, MAXIMUM HEATING EFFECT IN TRANSFORMER TESTS (see clause C.1)*	EL 2153-00	Certified power supply used	Р
X.1	Determination of maximum input current*	EL 2153-01	See above Cl. No. X	Р
X.2	Overload test procedure*	EL 2153-02	See above Cl. No. X	Р

*-Total number of Requirements to be observed / inspected =03

Total No of applicable Requirement =03

No of Requirements for which the sample passed =03

Total number of tests to be conducted =00Total No of applicable Tests =00No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TEST HOUSE *





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /

Dated: 05/05/2021

ULR: TC550821200000463P

Discipline: Electronics

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

Page 87 of 104 Group: IT Equipment

Tests relating to Radiation Safety

EL 2154- V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
Y	ANNEX Y, ULTRAVIOLET LIGHT CONDITIONING TEST (see 4.3.13.3)	EL 2154-00		N/A
Y.1	Test apparatus	EL 2154-01		N/A
Y.2	Mounting of test samples	EL 2154-02		N/A
Y.3	Carbon-arc light-exposure apparatus	EL 2154-03		N/A
Y.4	Xenon-arc light exposure apparatus	EL 2154-04		N/A

*-Total number of Requirements to be observed / inspected =00

Total No of applicable Requirement = 00

No of Requirements for which the sample passed = N/A

Total number of tests to be conducted =05

Total No of applicable Tests = 00

No. of tests for which the sample passed = N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)







 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 88 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Electrical Safety

EL 2155- V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
Z	ANNEX Z, OVERVOLTAGE CATEGORIES (see 2.10.3.2 and Clause G.2)*	EL 2155-00	OVC II	Р

*-Total number of Requirements to be observed / inspected =01

Total No of applicable Requirement =01

No of Requirements for which the sample passed =01

Total number of tests to be conducted =00

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)







 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 89 of 104

 Discipline: Electronics
 Group: IT Equipment

Tests relating to Mechanical Properties

EL 2156 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
AA	ANNEX AA, MANDREL TEST (see 2.10.5.8)	EL 2156-00		N/A

*-Total number of Requirements to be observed / inspected =00

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =01

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 90 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Electrical Safety

EL 2158 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
CC	E valuation of integrated circuit (IC) current limiters*	EL 2158-00	Certified IC Current Limiter used (See table 1.5.1)	N/A
CC.1	Integrated circuit (IC) current limiters*	EL 2158-01	See above Cl. No. CC	N/A
CC.2	Test program 1	EL 2158-02	See above Cl. No. CC	N/A
CC.3	Test program 2	EL 2158-03	See above Cl. No. CC	N/A
CC.4	Test program 3	EL 2158-04	See above Cl. No. CC	N/A
CC.5	Compliance	EL 2158-05	See above Cl. No. CC	N/A

*-Total number of Requirements to be observed / inspected =02

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =04

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 / Dated: 05/05/2021

IEC 60950-1: 2005 + A1:2009 + A2 : 2013

Page 91 of 104

Discipline: Electronics Group: IT Equipment

Tests relating to Mechanical Properties

ULR: TC550821200000463P

EL 2159 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
DD	Requirements for the mounting means of rack-mounted equipment*	EL 2159-00	Not a rack mounted equipment	N/A
DD.1	General		See above Cl. No. DD	N/A
DD.2	Mechanical strength test, variable N	EL 2159-01	See above Cl. No. DD	N/A
DD.3	Mechanical strength test, 250N, including end stops:	EL 2159-02	See above Cl. No. DD	N/A
DD.4	Compliance*:	EL 2159-03	See above Cl. No. DD	N/A

*-Total number of Requirements to be observed / inspected =02

Total No of applicable Requirement =00

No of Requirements for which the sample passed =N/A

Total number of tests to be conducted =02

Total No of applicable Tests =00

No. of tests for which the sample passed =N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)







Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 92 of 104 Discipline: Electronics Group: IT Equipment

Tests relating to Mechanical Properties

EL 2160 - V1.0

Cl. No.	Test / Requirement name	Test Code	Test result/ observation	Verdict
EE	ANNEX EE, Household and home/office document/media shredders	EL 2160-00		N/A
EE.1	General			N/A
EE.2	Markings and instructions*	EL 2160-01		N/A
	Use of markings or symbols*			N/A
	Information of user instructions, maintenance and/or servicing instructions*			N/A
EE.3	Inadvertent reactivation test	EL 2160-02		N/A
EE.4	Disconnection of power to hazardous moving parts*	EL 2160-03		N/A
	Use of markings or symbols*:			N/A
EE.5	Protection against hazardous moving parts			N/A
	Test with test finger (Figure 2A)	EL 2160-04		N/A
	Test with wedge probe (Figure EE1 and EE2):	EL 2160-05		N/A

*-Total number of Requirements to be observed / inspected	=02
Total No of applicable Requirement	= 00
No of Requirements for which the sample passed	= N/A
Total number of tests to be conducted	=04
Total No of applicable Tests	= 00
No. of tests for which the sample passed	= N/A

Certificate: It is certified that the above tests were performed and found to be passing/ failing in the requirement tested

(Approving Authority)

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 93 of 104 Discipline: Electronics Group: IT Equipment

1.5.1	TABLE: List of co	mponents			Р
Object/part no.	Manufacturer/ trademark	Type/model	Technical data	Standard	Mark(s) of conformity ^{1.}
Switching Power Supply (Non- Detachable)	DELTA ELECTRONICS INC	DPS-200PB-185 F	AC INPUT: 100-240Vac, 47-63Hz, 3.5A, Class I, 5000m, DC OUTPUT: +52Vdc/2.5A, +12Vdc/5A	IEC 60950-1: 2005/A1:2009/A MD2:2013, IEC 62368-1: 2014, UL 62368-1 (Equivalent to IEC 62368-1)	CB By TÜV Rheinland Japan Ltd. Reference no: JPTUV- 099440, JPTUV- 084195-M2, UL E131881
Alternate	DELTA ELECTRONICS INC	DPS-200PB-185 XX (X = any alphanumeric character or blank)	AC INPUT: 100-240Vac, 47-63Hz, 3.5A, Class I, 5000m, DC OUTPUT: +52Vdc/2.5A, +12Vdc/5A	IEC 60950-1: 2005/A1:2009/A MD2:2013, IEC 62368-1: 2014, UL 62368-1 (Equivalent to IEC 62368-1)	CB By TÜV Rheinland Japan Ltd. Reference no: JPTUV- 099440, JPTUV- 084195-M2, UL E131881
PCB	LIN HORN TE CHNOLOGY CO LTD	M8	V-0, 105°C	UL 796 (No equivalent IEC standard), UL 94 (Flammability test equivalent to IEC 60695-11-10)	UL E169465
RTC Battery (Lithium type)	Tohoku Murata Manufacturing Co., Ltd	CR1220	Normal Voltage: 3Vdc, Max Abnormal Charging Current 10mA	UL 1642 (No equivalent IEC standard)	UL MH12566
Plastic Enclosure of Front bezel	SABIC JAPAN L L C	C6600(GG)(X)(V S)	HB,60°C,min. thickness 0.3mm	UL 94 (Flammability test equivalent to IEC 60695-11-10)	UL E45587
Internal Wiring	SHENZHEN DERONXIN TECHNOLOGY COLTD	2725	60 or 80°C, 30Vac, Horizontal flame	UL 758 (No equivalent IEC standard)	UL E314998

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 94 of 104

 Discipline: Electronics
 Group: IT Equipment

IC Current limiter	SILE RGY CORP	SY6288xyyyyy (x=A,B,C,D or E;	Max.5.5Vdc, max. 3.7A	IEC 62368-1: 2014	CB by UL DK-86927-UL
(U1005 for USB3.0,U10 47 For		yyyyy=0-9,A-Z or Blank)			
USB2.0)					
Power supply	cord set				-
Power Plug	I-Sheng Electronics (KunShan) Co. Ltd	SP-81A	10A,250Vac	IS 1293:2005	ISI CM/L- 4035847
Alternate	I-Sheng Manufacturing (Song Gang) Factory	SP-81A	10A,250Vac	IS 1293:2005	ISI CM/L- 4036041
Alternate	Phino Electrical Wire & Cable (Huizhou) Co. Ltd.,	PHP-324	10A,250Vac	IS 1293:2005	ISI CM/L- 4100033559
Power cord	I-Sheng Electronics (KunShan) Co. Ltd,	PVC insulated Cable	3×0.75mm ² , 1100V	IS 694:2010	ISI CM/L- 4035746
Alternate	I-Sheng Manufacturing (Song Gang) Factory	PVC insulated Cable	3×0.75mm ² , 1100V	IS 694:2010	ISI CM/L- 4035948
Alternate	Shenzhen Baohing Electric Wire & Cable Manufacture Co. Ltd	PVC insulated Cable	3×0.75mm ² , 1100V	IS 694:2010	ISI CM/L- 4006436
Connector	I-Sheng Electric Wire & Cable Co., Ltd.	IS-14	10A, 250V~	IEC 60320-1: 2015	VDE 40037879
Alternate	Queen Puo Electrical Co., Ltd.	QP-007	10A, 250V~	IEC 60320-1: 2015	VDE 40014980

Supplementary information:

TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0



ALPHA TEST HOUSE (UNIT-4)

¹ Evidences provided by the manufacturer for the listed components are verified by us and the evidences are conforming to the requirements of the relevant standard

^{2.} Metallic enclosure used except Front Bezel.





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 95 of 104

 Discipline: Electronics
 Group: IT Equipment

1.6.2	TABLE: E	TABLE: Electrical data (in normal conditions)					Р
U (V)	I (A)	Irated (A)	P (W)	Fuse #	Ifuse (A)	Condition/status	
90.0	2.001		175.0				
100.0	1.710	3.5	168.5			Maximum normal load a	at 50Hz
240.0	0.702	3.5	165.1				
254.4	0.645		160.9				
90.0	2.010		175.6			Maximum normal load a	at 60Hz
100.0	1.718	3.5	168.9				
240.0	0.710	3.5	165.7				
254.4	0.650		161.2				
Supplement	ary informa	tion:		1	•	<u>'</u>	

2.1.1.5 TAB	TABLE: Energy hazard measurement							
Voltage (rated)	Voltage (rated)							
(V)	(A)	(V)	(A)	(VA)				
Supplementary in	Supplementary information: Certified power supply used							

2.1.1.7	TABLE: [TABLE: Discharge test					
Condition		τ calculated (s)	τ measured (s)	t u→ 0V (s)	Comments		
Supplement	Supplementary information: Certified power supply used						

2.2.2	TABLE: SELV measurement (under normal conditions)					Р
Transforme			n			
			V peak	V d.c.	Component	
Supplementary information: Certified power supply used						

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 96 of 104

 Discipline: Electronics
 Group: IT Equipment

2.2.3	TABLE: SELV measurement (under fault conditions)				
Location		Voltage (max.) (V)	Comments		
Supplement	ary information: Certific	ed power supply used			

2.4.2	TABLE: Limite	TABLE: Limited current circuit measurement					
Location		Voltage (V)	Current (mA)	Freq. (kHz)	Limit (mA)	Comments	
Supplementary information: Certified power supply used							

2.5	TABLE: Limited power	r source measurement		Р				
		Limits	Measured	Verdict				
According to	According to Table 2B/ 2C (normal condition) At USB Port (Front side) (Uoc =5.120Vdc)							
current (in A)	8	2.510	Р				
apparent po	wer (in VA)	100	10.560	Р				
According to	Table 2B/ 2C (normal	condition) At USB 3.0 Port (F	Rear side) (Uoc =5.125Vdc)					
current (in A)	8	2.500	Р				
apparent po	wer (in VA)	100	10.871	Р				
According to output voltage	, -	fault condition) At USB Port	(Front side) (Pin 1-GND), Short cir	cuit,				
current (in A)	8	0.0	Р				
apparent po	wer (in VA)	100	0.0	Р				
_	According to Table 2B/ 2C (Single fault condition) At USB 3.0 Port (Rear side) (Pin 1-GND), Short circuit, output voltage=0Vdc							
current (in A)	8	0.0	Р				
apparent power (in VA)		100	0.0	Р				
Supplement	Supplementary information:							

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 97 of 104

 Discipline: Electronics
 Group: IT Equipment

2.6.3.4	TABLE: Resistance of earthing measurement					
	Location	Resistance measured (Ω)	Comments			
	inlet Earthing pin to ce of metal enclosure	0.00562	V1=0.62,V2=0.80, Voltage drop(V2-V1) =0.18	V		
Supplement	Supplementary information: Tested current 32A.					

<OR>

2.6.3.4	TABLE: Resistance of earthing measurement				
	Location Voltage drop (V) Comments				
Supplement	ary information: Tested	current 40A.			

2.10.2	Table: Working voltage measurement						
Location		RMS voltage (V)	Peak voltage (V)	Comments			
Supplement	Supplementary information: Certified power supply used						

2.10.3 and 2.10.4	TABLE: Clearance and creepage distance measurements								
	Clearance (cl) and creepage U peak U r.m.s. Required cl Required distance (cr) at/of/between: (V) (V) cl (mm) (mm) cr (mm)								
Functional:									
Basic / supp	olementary:								
Reinforced:									
Supplemen	tary information: Ce	rtified power	supply used						

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 98 of 104

Discipline: Electronics Group: IT Equipment

2.10.5	TABLE: Distance through insul	ation measur	ements			Р			
Distance th	nrough insulation (DTI) at/of:	at/of: U peak U r.m.s. Test Required D voltage DTI (mm)							
Basic:									
Supplemen	ntary:								
Reinforced	l:	<u> </u>	•						
Supplemen	ntary information: Certified powe	r supply used							

4.3.8	TABLE: E	Batteries							N/A
The tests o	f 4.3.8 are	applicable	only when app	oropriate b	attery	Certified F	RTC batter	y (Lithium	
data is not	available						type) used		
						(Se	e table 1.5	5.1)	
Is it possibl	Is it possible to install the battery in a reverse polarity position? See above								
	Non-re	chargeable	batteries			Rechargeal	ole batterie	es	
	Discha	arging	Un-	Char	ging	Discha	arging	Reversed	charging
	Meas.	Manuf.	intentional	Meas.	Manuf.	Meas.	Manuf.	Meas.	Manuf.
	Current	Specs.	charging	Current	Specs.	Current	Specs.	Current	Specs.
Max. current during normal condition									
Max. current during fault condition	ix. rrent ring								
-									N
Test results - Chemical									Verdict N/A
- Chemicai	ieaks								IN/A
- Explosion	of the batt	ery							N/A
- Emission	- Emission of flame or expulsion of molten metal								N/A
- Electric st	rength test	s of equipm	ent after com	pletion of t	ests				N/A
Supplemen	tary inform	ation: Certi	fied RTC batte	ery (Lithiur	n type) u	sed	/5	TESTA	

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 99 of 104 Discipline: Electronics Group: IT Equipment

4.5 TABLE: Te	mperature rise m	easuren	nents						Р
Temperatures were measured according cl. 1.4.5. Test in condition A and B at continuous normal operation as for power input measurements of table 1.6.2 resulted in highest temperature values. Temperatures are calculated according cl. 1.4.12.3 with regard to the maximum ambient operation temperature of 55°C (T _{ma}), as specified by the manufacturer.									
Test voltage(s) (V):			A: 90.0V	ac, 50Hz	<u> </u>	I	B: 25	4.4Vac, 5	0Hz
t _{amb1} (°C):	t _{amb1} (°C): A: 25°C B: 26°C					,	A: 25	°C	B: 26°C
Temperature of part/at: (measured with thermoc		temper	easured rature rise T _{amb}		tempe	alcula eratur	re at T _{ma}	Allowed T _{max} (°C)	
			A dT (K)		3 (K)	A T (°C	;)	B T (°C)	
USB 3.0 Port (Rear side) Metallic Part		6	;	5	61		60	70
Metallic enclosure			4	;	3	59		58	70
RTC battery (Lithium typ	e) Surface		8		7	63		62	70
PCB			13	1	2	68		67	130
Front Bezel (Plastic part		3	:	2	58		57	60	
Test voltage(s) (V):			A: 90.0V	ac, 50Hz	7	I	B: 25	4.4Vac, 5	0Hz
t _{amb1} (°C):	A: 26°C B: 2	26°C	t _{amb2} (°C):				A: 26	°C	B: 26°C
Temperature of part/at:	Measured temperature rise at T _{amb}			Calculated temperature at T _{ma}			Allowed T _{max} (°C)		
(measured with thermoc	ouples)		temper		e ai	tompt		TO GL Ima	I _{max} (C)
(measured with thermoc	ouples)		A dT (K)	T _{amb}	3 (K)	A T (°C		B T (°C)	I max (O)
USB 3.0 Port (Rear side	· ,		A	T _{amb}	3	A		В	70
,	· ,		A dT (K)	T _{amb}	3 (K)	A T (°C		B T (°C)	
USB 3.0 Port (Rear side) Metallic Part		A dT (K)	T _{amb}	3 (K)	A T (°C		B T (°C)	70
USB 3.0 Port (Rear side Metallic enclosure) Metallic Part		A dT (K) 7 5	T _{amb} I dT	3 (K) 6	A T (°C		B T (°C) 61 59	70 70
USB 3.0 Port (Rear side Metallic enclosure RTC battery (Lithium typ) Metallic Part e) Surface		A dT (K) 7 5 9	T _{amb} I dT	3 (K) 6 4	A T (°C 62 60 64		B T (°C) 61 59	70 70 70
USB 3.0 Port (Rear side Metallic enclosure RTC battery (Lithium typ PCB) Metallic Part e) Surface		A dT (K) 7 5 9 14	T _{amb} I dT	3 (K) 6 4 8	A T (°C 62 60 64 69		B T (°C) 61 59 63 68	70 70 70 130
USB 3.0 Port (Rear side Metallic enclosure RTC battery (Lithium typ PCB Front Bezel (Plastic part) Metallic Part e) Surface) surface on:	stance r	A dT (K) 7 5 9 14 3	T _{amb}	3 (K) 6 4 8 3	A T (°C 62 60 64 69		B T (°C) 61 59 63 68	70 70 70 130
USB 3.0 Port (Rear side Metallic enclosure RTC battery (Lithium typ PCB Front Bezel (Plastic part Supplementary informati) Metallic Part e) Surface) surface on: with winding resis	stance r	A dT (K) 7 5 9 14 3	T _{amb}	3 (K) 6 4 8 3	A T (°C 62 60 64 69 58	allo	B T (°C) 61 59 63 68 57	70 70 70 130
USB 3.0 Port (Rear side Metallic enclosure RTC battery (Lithium typ PCB Front Bezel (Plastic part Supplementary informati Temperatures measured temperature T of winding) Metallic Part e) Surface) surface on: with winding resis		A dT (K) 7 5 9 14 3	T _{amb} I dT 1 1 1 Not used	3 (K) 6 4 8 3	A T (°C 62 60 64 69 58	allo	B T (°C) 61 59 63 68 57	70 70 70 130 60

TRF No. BIS_ CCTV C/CCTVR_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 100 of 104

 Discipline: Electronics
 Group: IT Equipment

4.5.5	TABLE: Ball pressure test of thermoplastic parts			Р
	Allowed impression diameter (mm):	≤ 2 mm		
Part		Test temperature (°C)	Impression (mm	
Suppleme	entary information: Certified power supply used			

4.6.1, 4.6.2 Table: Enclosure open	Table: Enclosure opening measurements					
Location	Size (mm)	Comments				
Hexagonal openings on side of enclosure (Diameter) 4.35mm No hazardous parts within 5° angle projections and the projection of the projec						
Supplementary information: Openia	ng of Maximum Dimensions	s Considered				

4.7	Table: I	Table: Resistance to fire							
Part		Manufacturer of material	Type of material	Thickness (mm)	Flammability class	Ev	idence		
Plastic Encl of Front bez		SABIC JAPAN L L C	ABS	0.3mm	НВ	perfo Com	ow wire Test ormed & oplied at 50°C		
Supplement	ary infor	mation:							

5.1.6	TABLE: Touch current and protective conductor current measurement							
	Test voltage (V).	: AC 254.4\	: AC 254.4V, 50Hz					
Measurement location Polarity (n			` ,	•	(reverse) A]	Limit (mA)	Commen	ts
(Terminal A	connected to)	Switch: ON	Switch: OFF	Switch: ON	Switch: OFF			
Metal enclos ("e" = open)		1.120		1.118		3.5	-	-
Supplement	ary information:							

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)



5.2



TEST REPORT

TABLE: Electric strength tests, impulse tests and voltage surge tests

 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 101 of 104

 Discipline: Electronics
 Group: IT Equipment

Test voltage	арр	lied between:			(AC	e shape , DC, e, surge)	(V)		akdown es / No	
Functional:							· <u> </u>	'			
Basic / suppl	leme	entary:						_			
Line to meta	al en	closure				A	AC .	1500		NO	
Reinforced:									T		
Supplementa	ary i	nformation: Ce	ertified Powe	er Supply Us	sed						
5.3	TAE	BLE: Fault con	dition tests							Р	
	Am	bient temperat	ture (°C)			:		26°C			
	Pov	ver source for	EUT: Manu	facturer, mo	del/type	٠,		See table 1.5.1			
	outp	out rating				:					
Componer	nt	Fault	Supply	Test time	Fuse		Fuse	Observation			
No.			voltage		#	C	current				
			(V)				(A)				
Ventilation		Blocked	90.0Vac	1.6 Hours				Unit operated norma	ally.		
openings								Temperature on Met	tallic		
								Enclosure Surface: 3	39°C		
								Result: No damage,	No h	azards	
Ventilation		Blocked	254.4Vac	1.5 Hours				Unit operated norma	ally.		
openings								Temperature on Met			
								Enclosure Surface: 3	38°C		
								Result: No damage,	No h	azards	
USB 3.0 Por	t	Short-circuit	254.4Vac	5 Minutes				Other Unit operated normally,			
(Rear side								Measured output vol	_		
(Pin 1 to GN	D)							USB 3.0 Port (Rear side) is =			
								0Vdc			
								Result: No fire, No h	azar	ds	

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0

Supplementary information:

ALPHA TEST HOUSE (UNIT-4)





 Report No. ATH1020022021
 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /
 Dated: 05/05/2021

 ULR: TC550821200000463P
 IEC 60950-1: 2005 + A1:2009 + A2: 2013
 Page 102 of 104

 Discipline: Electronics
 Group: IT Equipment

C.2 TABLE: Insulation	of transforme	ers				Р
Transformer part r	ame	:	Certified power	er supply use	ed	
Manufacturer		:	See above			
Туре		:	See above			
Clearance (cl) and creepage distance (cr) at/of/between:	U peak (V)	U r.m.s. (V)	Required cl (mm)	cl (mm)	Required cr (mm)	cr (mm)
Primary /input winding and secondary/output winding (internal)						
Primary/input winding and core (internal)						
Secondary/output winding and core (internal)						
Primary/input part and secondary/output part (external)						
Primary/input part and core (external)						
Primary/input part and secondary/output winding (external)						
Secondary/output part and core (external)						
Secondary/output part and primary/input winding (external)						
Description of design:						
(a) Bobbin						
Primary/input pins		:				
Secondary/output pins		:				
Material (manufacturer, type, ra	tings)	:				
Thickness (mm)		:				
(b) General		L				
Supplementary information: Ce	rtified power	supply use	d			

TRF No. BIS_ CCTV C/CCTV R_IS 13252_V1.0



ALPHA TEST HOUSE (UNIT-4)





Dated: 05/05/2021

Page 103 of 104


TEST REPORT

Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2: 2015 /

Discipline: Electronics Group: IT Equipment

PHOTOGRAPHS





TRF No. BIS_ CCTVC/CCTVR_IS13252_V1.0




ALPHA TEST HOUSE (UNIT-4)





Report No. ATH1020022021 IS 13252 (Part 1): 2010 + A1: 2013 + A2 : 2015 / Dated: 05/05/2021 ULR: TC550821200000463P IEC 60950-1: 2005 + A1:2009 + A2 : 2013 Page 104 of 104

Discipline: Electronics Group: IT Equipment



END OF TEST REPORT

