

Magnum Alert:

Classic hardwire burg and fire solution



Hardwire controls

MA1000ENB Control

- 7 EOL + N/O zones
- Supervised Fire Zone
- Up/downloadable full-size control with 45° terminal strip
- 8 User codes
- Transformer supplied
- **MA1000ELBNB** also available, as above with larger cabinet
- Uses RP1000eLCD Alpha Keypad or digital RP1054e Keypad models

MA1008ENB Control

- 8 EOL + N/O zones
- 2-Wire supervised fire zones
- Powerful built-in siren driver
- 180 event log
- 8 User codes
- Programmable line cut detection
- Programmable auto interior bypass
- Up/downloadable full-size control with full-size terminal strip
- Complete with digital RP1054e Keypad & transformer
- Matching **RP1000eLCD** Alpha Keypad available



Commercial fire/burglary multitasking, multiplexing, partitioning control

MA3000LKDL

- 12 - 96 Fully programmable zones (8 zones on board + 4 at each keypad)
- 8 Partitions - 8 doors built-in access control
- 96 Simplified multi-function, multi-level user codes
- 800 Event history log and 8 to 64 programmable relays
- Real time clock & 255 event scheduler
- Expandable with EZM3008 8-zone multiplex modules
- On-site parallel printer output
- Advanced false alarm prevention features for extra-simple user operation



Accessories for MA3000

- **Housings:** Standard **H1214**, Commercial **H1518** or Commercial Fire **CF1518**
- **EZM3008** 8 zone multiplex module
- **RB3008** 8-relay board
- **CF5530** Commercial fire module
- **RP3000LCD** burglar/fire/access keypad
- **CF3000LCD** or **CF3000eLCD** Fire Marshall Keypad
- **PS3000** Heavy duty 4A power supply

Backlit digital display keypad

RP1054e

- 3 F-P-A (fire, panic, auxiliary) panic keys
- Backlit touchtone keys
- Vivid digital display and status LEDs



Backlit custom alphanumeric keypad

RP1000eLCD

As above, but with:

- Large, backlit custom english language display & alpha zone directory
- Backlit touchtone keys auto-brighten at a touch

Burglar/fire/access control backlit custom alphanumeric scroll keypad

RP3000LCDe/CF3000LCDe

- Large, backlit custom english language display & alpha zone directory
- 3 F-P-A panic keys
- Backlit touchtone keys auto-brighten with a touch
- 4-zone built-in multiplex zone expansion module at each keypad
- Supervised tamper
- 3-in-1 keypad: simultaneous use as arm/disarm station, burglary system control and access control entry point
- Guard tour option
- **CF3000LCDe** 'Fire Marshall' (red) keypad with fire functions/menu



Depend on smart, **integrated** Napco

Gemini expandable

GEMINI expandable systems



GEM-RP1CAe2
INCLUDES 4 ZONE EXPANSION
MODULE BUILT-IN



GEM-RP2ASe2



GEM-RP3DGTL



GEM-K1CA
INCLUDES 4 ZONE EXPANSION
MODULE BUILT-IN



GEM-K2AS



GEM-K3DGTL



GEM-K4RF
RF RECEIVER, BUILT IN
FOR UP TO 32 PTS.




Gemini Access
ADD 1 - 8 DOORS ACCESS CONTROL
TO GEMINI PANELS INTEGRATED
DATABASE
For P3200, 9600, X255

STAY & AWAY	K1CA	•	•	•	•	•	•
	K2AS	•	•	•	•	•	•
	K3DGTL	•	•	•	•	•	•
	K4RF	•	•	•	•	•	•
	K4	•	•	•	•	•	•
CLASSIC	RP1CAe2	•	•	•	•	•	•
	RP2ASe2	•	•	•	•	•	•
	RP3DGTL	•	•	•	•	•	•
	RP8LCD	•	•	•	•	•	•
	RP8/K800	•	•	•	•	•	•



Veri-Phone
2-WAY VOICE VERIFICATION
PUTS CS & PREMISES IN DIRECT
CONTACT ON ALARM



RB3008
8 RELAY EXPANSION
MODULE




Wizard IIe
PHONE IN CONTROL
MODULE

GEM-EZM4/8



For P816, P1632
& Freedom 64
ECONOMY 4 TO 8 ZONE
EXPANSION MODULE

GEM-EZM8



8 ZONE EXPANSION
MODULE FOR ALL GEMINI
EXPANDABLE PANELS



GEM-P816
GEM-P1632
GEM-P3200
GEM-P9600
GEM-X255

Communications Options




NetLink NL-CSRVCV
INTRANET/INTERNET GEMINI ALARM
REPORTING SOFTWARE FOR STD. PC



StarLink SL-1/12
BACKUP
WIRELESS
RADIO FOR
ALL ALARM
PANEL
BRANDS




NetLink NL-RCV-RMPCUL
UL864/1610 RECEIVER FOR
UL CENTRAL STATIONS



NetLink NL-MOD
BY-ZONE INTERNET REPORTING FOR
GEMINI & FREEDOM

NET-COMM
UNIVERSAL 5 CHANNEL REPORTING
CODES ALL PANEL BRANDS



GEM-EZM4/8
8 ZONE EXPANSION MODULE FOR
F64 & GEMINI



F-64KIT1: STARTER KIT W/12 ZONES
8 ZONES AT F64 PANEL & 4-ZN EXPANSION MODULE IN F64TP CODELESS
MULTIFUNCTION TOUCHPAD INCLDG BUILT IN UL BURGLAR/FIRE SIREN, TALKING
VOICE PROMPT, 25' UL PET PIR, OCC. SENSOR, WIRELESS LOCK RECEIVER, 3 F-IFOB
CREDENTIALS, LOCK INSERT & WIRELESS INTERFACE & XFORMER



32 PTS: GEM-REC4/8
96 PTS: GEM-REC9/6



Freedom expandable system



**F64TPBR BEDROOM
TOUCHPAD**
WITH NIGHT MODE (NO LOCK REQ'D)



**F64TP/TAB
ADD'L DOOR KIT** w/
TOUCHPAD & 4 ZONES & RF LOCK KIT



F64GKIT GARAGE KIT
HARDWIRE TOUCHPAD & AUTO
GARAGE DOOR MOTOR SENSOR



**F-2D 'EASY ENTRY'
FREEDOM 2ND DOOR KIT**
ADD ADDITIONAL KEY-CONTROLLED SYSTEM
DOORS (W/O AN EXTRA TOUCHPAD THERE) TO
FREEDOM. COMMUNICATES WIRELESSLY TO
TOUCHPAD FROM KIT 1 OR 2 ON F8 OR F64

Comparison of Gemini® control panel features and accessories

FEATURES		GEMINI SYSTEMS				
	GEM-P400	GEM-P800	GEM-P801	GEM-P816	GEM-P1632	
ZONES ON BOARD	N/A	N/A	8	8	8	
MAX. # ZONES	4 Zone-Doubled	6 Zone-Doubled	9	16	32	
ZONE EXPANSION	-	2 Wireless Only Zones	2 Wireless Only Zones	2xGEM-EZM4/8	6xGEM-EZM4/8	
(*NOTE: Each RP1CAe2/K1 or RP3000LCD Keypad adds 4 Built-in Zones)				1xGEM-EZM8	3xGEM-EZM8	
USER CODES	4	8	8	16	32	
# OF FIRE ZONES; 2 WIRE FIRE	-	1 2/4 WIRE	1 2/4 WIRE	UP TO 16; 2 2-WIRE	UP TO 32; 2 2-WIRE	
KEYPADS OR TOUCHPADS SUPPORTED	4(total) GEM-RP4 or GEM-K400	4(total) GEM-RP8 RP8LCD or GEM-K800	4(total) GEM-RP8 RP8LCD or GEM-K800	7(total) GEM-RP1CAe2 RP2ASe2 RP3DGTL or GEM-K1CA K2AS K3DGTL K4RF K4	7(total) GEM-RP1CAe2 RP2ASe2 RP3DGTL or GEM-K1CA K2AS K3DGTL K4RF K4	
EVENT LOG	-	50	50	256	400	
# OF AREAS	1	1	1	1	2	
# OF OUTPUTS	2	2	2	3	3, UP TO 11 (Using RB3008 Relay Modules)	
# OF WIRELESS RECEIVERS SUPPORTED	2 (GEM-RECVXP8 only)	2 (GEM-RECVXP8 only)	2 (GEM-RECVXP8 only)	2 (GEM-K4RF, RECV32)	2 (RECV32/96)	
# WIRELESS POINTS	4	8	8	16	32	
# WIRELESS KEYFOBS	2	4	4	8	8	
AUTO ARM	-	-	-	YES	YES	
OPEN/CLOSE SUPPRESSION	-	-	-	YES	YES	
AUTO DISARM	-	-	-	-	-	
SCHEDULES	-	-	-	-	-	
LINE CUT DETECT	YES	YES	YES	YES	YES	
BELL SUPERVISION	YES	YES	YES	YES	YES	
COMMUNICATION FORMATS	CONTACT ID	CONTACT ID	CONTACT ID	CONTACT ID, SIA	CONTACT ID, SIA	
PAGER FORMAT	YES	YES	YES	YES	YES	
RS232 OPTION OUTPUT	-	-	-	-	-	
FOR AUTOMATION INTEGRATION						
RELAY/X-10 CAPABLE (GEM-X10)	-	-	-	-	8 DEVICE, 16 EVENTS	
INPUT POWER	16.5 VAC	16.5 VAC	16.5 VAC	16.5 VAC	16.5 VAC	
MAX STANDBY CURRENT	350mA	500mA	650mA	650mA	650mA	
ALARM CURRENT	2 AMPS	2 AMPS	2 AMPS	2 AMPS	2 AMPS	
AVAILABLE IN THESE CONFIGURATIONS	GEM-P400/4 Control, Keypad & Transformer	GEM-P800 Control, Keypad & Transformer	GEM-P801 Control, RP8 Keypad & Transformer	GEM-P816 Control & Transformer	GEM-P1632 Control & Transformer	
			GEM-P801ALPHA Control, Custom Alpha RP8LCD Keypad & Transformer	816PERFPAK Control, GEM-RP3DGTL Keypad, Transformer	1632PROPAK Control, GEM-RP3DGTL Keypad, Transformer	
		GEM-P800PAK Control, Backlit GEM-RP8 Keypad, Transformer, Siren, PIR, Jack, Cord, 4AH Battery		816PERFPAKPLUS Control, GEM-RP3DGTL Keypad, Transformer, Siren, PIR, Jack, Cord, 4AH Battery		
				816PREMPAK Control, GEM-RP1CAe2 Keypad, Transformer	1632INTROPAK Control, GEM-RP1CAe2 Keypad, Transformer	